

CARGILL INC. -- BOILED LINSEED OIL 20761-33-4 -- 8010-00-152-3245

===== Product Identification =====

Product ID:BOILED LINSEED OIL 20761-33-4

MSDS Date:06/11/1984

FSC:8010

NIIN:00-152-3245

MSDS Number: BGXMJ

=== Responsible Party ===

Company Name:CARGILL INC.

Box:9300

City:MINNEAPOLIS

State:MN

ZIP:55440

Country:US

Info Phone Num:312-375-7353 / 8AM - 4:30PM

Emergency Phone Num:612-485-3844 (SEYMO  
UR)/ 5PM -7:30AM

CAGE:KO032

=== Contractor Identification ===

Company Name:CARGILL INC

Address:15407 MCGINTY RD

Box:9300

City:MINNEAPOLIS

State:MN

ZIP:55440

Country:US

Phone:612-332-8203

CAGE:96162

Company Name:CARGILL INC.

Address:122ND STREET AND TORRENCE AVE

Box:9300

City:CHICAGO

State:IL

ZIP:60617

Country:US

Phone:312-375-7353/612-475-6663

CAGE:KO032

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756

-1065  
CAGE:4N760

=====  
Composition/Information on Ingredients  
=====

Ingred Name:BOILED LINSEED OIL IS NOT A HAZARDOUS MATERIAL UNDER  
DEPARTMENT OF LABOR DEFINITIONS

Ingred Name:CONTAINS NOT OVER 0.03% EACH OF COBALT AND MANGANESE DRYER  
EXPRESSED AS METAL CONTENT

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Medical Cond Aggravated by Exposure:NONE

=====  
Fire Fighting Measu  
res  
=====

Flash Point:>250F->49C  
Extinguishing Media:FOAM,CO2,DRY CHEMICAL,SAND.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:DEPENDING ON QUANTITY OF SPILL: A)ADD SOLID  
ABSORBANT, SHOVEL OR SCOOP INTO DISPOSABLE CONTAINER, AND HOSE OR  
WASH DOWN AREA. B)SQUEEZE INTO PICK UP CONTAINER AND WASH AREA.

=====  
Handling and Storage  
=====

Other Precautions:VEGETABLE OIL MIST IS HAZARDOUS AND  
SHOULD BE HANDLED  
WITH THE USE OF SAFETY GLASSES, GLOVES, APRON, AND VAPOR  
RESPIRATOR.

=====  
Exposure Controls/Personal Protection  
=====

Eye Protection:SAFETY GOGGLES OR GLASSES TO GUARD.  
Supplemental Safety and Health  
(EYE PROTECTION) AGAINST SPLASHES.

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:>300F  
Vapor Density:>THAN AIR  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Percent Volatiles by Volume:NONE

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Hazardous Decomposition Products: CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for us

by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.