View NSN Online: https://aerobasegroup.com/nsn/8040-01-126-6270

DEXTER CORPORATION -- EA 9309 NA PART A -- 8040-01-126-6270

============= Product Identification ==============

Product ID:EA 9309 NA PART A

MSDS Date:11/23/1988

FSC:8040

NIIN:01-126-6270

MSDS Number: BHBDG === Responsible Party ===

Company Name: DEXTER CORPORATION

Address:2850 WILLOW PASS ROAD

City:PITTSBURG

State:CA ZIP:94565

Info Phone Num: (415) 687-4201

Emergency Phone Num: (415) 687-4201

CAGE:79436 === Contrac

tor Identification ===

Company Name: DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282 Country:US

Phone:626-968-6511

CAGE:79436

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN

CAS:6508-38-6

Ingred Name: SILICA, AMOR

PHOUS, DUST CAS:112945-52-5 RTECS #:VV7310000 Other REC Limits:3 MG/CUM RESP. DUST OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

============== Hazards Identification =======================

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: SKIN/EYE: MAY CAUSE IRRITATION &

ALLERGIC REACTIONS. SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE

SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS, &

DERMATITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: SKIN/EYE: MAY CAUSES IRRITATION. SKIN:

PROLONGED & REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS & DERMATITIS.

Medical Cond Aggravated by Exposure: ALLERGIC SKIN REACTIONS, RASH.

First Aid:SKIN/EYE: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH SOAP & WATER. SEEK MEDICAL ATTENTION IF IRRITATION

PERSISTS, SEE A PHYSICIAN. REMOVE CONTAMINATED CLOTHING & THOROUGHLY CLEAN BEFORE REUSE.

Flash Point Method:TOC

Flash Point:>300F

Extinguishing Media:DRY CHEMICAL, HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard: DENSE SMOKE & TOXIC GASES MAY BE LIBERATED. FAILURE TO

BUILD-UP WITH RELEASE OF TOXIC GASES.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. SCRAPE & TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS.
============ Handling and Storage =============
Handling and Storage Precautions:STORE AT ROOM TEMP 77F. KEEP COOL IN
ACCORDANCE W/LABEL INSTRUCTIONS. CONTAINS EPOXY RESINS. AVOID CONTACT W/EYES & SKIN. Other Precautions:WASH THOROUGHLY AFTER HANDLING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATION; ORGANIC CARTRIDGE RESPIRATOR. Ventilation:LOCAL EXHAUST RECOMMENDED Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES, GOGGLES Other Protective Equipment:AS NEEDED TO PROTECT SKIN & CLOTHING. PLASTIC/R UBBER. Work Hygienic Practices:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATION. REMOVE SOILED CLOTHING & WASH BEFORE REUSE. Supplemental Safety and Health KEY1:N1.
========= Physical/Chemical Properties ==========
HCC:C2 Boiling Pt:B.P. Text:DECOMPOSES Vapor Pres:1 Evaporation Rate & DECOMPOSES Solubility in Water:NIL
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG LEWIS,

OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT

MINERAL ACIDS.

Stability Condition to Avoid:AVOID MIXING RESIN/CURING AGENT IN BATCHES >1 PD TOTAL.

Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS.

Conditions to Avoid Polymerization:DON'T HEAT MIXED ADHESVIE >75F UNLESS CURING SURFACES TO BE BONDED.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT, DISPOSE OF AS ORM-E.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular sit uation.