

CRAWFORD LABORATORIES, INC. -- LACQUER GLOSS BLACK 17038, K8-029 -- 8010-00-935-7077
===== Product Identification =====

Product ID:LACQUER GLOSS BLACK 17038, K8-029

MSDS Date:10/15/1987

FSC:8010

NIIN:00-935-7077

MSDS Number: BHBHD

=== Responsible Party ===

Company Name:CRAWFORD LABORATORIES, INC.

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Country:US

Info Phone Num:312-376-7

132

Emergency Phone Num:312-433-1307

CAGE:DO165

=== Contractor Identification ===

Company Name:CRAWFORD LABORATIES, INC

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Phone:800-424-9300 CHEMTREC

CAGE:DO165

Company Name:CRAWFORD LABORATORIES, INC

Address:4165 SOUTH EMERALD AVENUE

Box:City:CHICAGO

State:IL

ZIP:60609

Country:US

Phone:312-376-7132

CAGE:5V430

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (

SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20-50%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)
CAS:123-42-2
RTECS #:SA9100000
Fraction by Wt: 5-20%
OSHA PEL:50 PPM
ACGIH TLV:50 PPM; 9192

Ingred Name:AROMATIC SOLVENT (VAPOR PR MM HG 38.)
CAS:108-88-3
RTECS #:SX5250000
Fraction by Wt: 5-20%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt
Qty:1000 LBS

Ingred Name:BUTYL BENZYL PHTHALATE (SARA III)
CAS:85-68-7
RTECS #:TH9990000
Fraction by Wt: 1-5%
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:ACRYLIC RESIN
CAS:9003-01-4
RTECS #:AT4680000
Fraction by Wt: AIR
Evaporation Rate & Reference:3.47 X N-BUTYL ACETATE
Appearance and Odor:BLACK LIQUID.
Percent Volatiles by Volume:73.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS AND STRONG ALKAL

IES.

Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAMES AND
INCOMPATIBILITIES SUCH AS OXIDIZING AGENTS AND STRONG ALKALIES.

Hazardous Decomposition Products:INCOMPLETE COMBUSTION FOR PRODUCTS
LIKE THIS MAY GENERATE HIGHLY POISONOUS CARBON MONOXIDE AND OTHER
TOXIC GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH CURRENT LOCAL,STATE
AND FEDERAL REGULATION. CONTACT AN APPROVED DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.