View NSN Online: https://aerobasegroup.ae/nsn/6810-00-241-1186 FISHER SCIENTIFIC CHEMICAL DIVISION -- TIN -- 6810-00-241-1186 ============= Product Identification ======================== Product ID:TIN MSDS Date:11/09/1988 FSC:6810 NIIN:00-241-1186 MSDS Number: BHCMW === Responsible Party === Company Name: FISHER SCIENTIFIC CHEMICAL DIVISION Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Info Phone Num:201-796-7100 Emergency Phone Num:201-796-7523 Preparer's Name: GASTON L. PI LLORI **CAGE:1B464** === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address: 1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464 ======= Composition/Information on Ingredients ========

Ingred Name:TIN CAS:7440-31-5

RTECS #:XP7320000 Fraction by Wt: 100% OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

Routes of Entry: Inhalation:YES Skin:

NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALE- RESPIRATORY IRRITATION, FLU-LIKE SYMPTOMS. MAY CAUSE IRRITATION TO EYES AND SKIN. INGEST-AT HIGH LEVELS OF CONCENTRATION; ABDOMINAL PAIN, NAUSEA, VOMITING, GASTRIC IRRITATION. CHRONIC: LOSS OF WEIGHT, CONSTIPATION. EYE-CONJUNCTIVITIS. SKIN- DERMATITIS. INHALE- BENIGN PNEUMOCONIOSIS W/OUT FIBROSIS.

Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THI S PRODUCT IS

LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:THIRST,A SWEET METALLIC TASTE IN MOUTH, COUGHING AND DRYNESS OF MOUTH. SKIN IRRITATION. EYE- MODERATE IRRITATION. GASTRIC IRRITATION AND DIARRHEA.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR.

EYE: FLUSH WITH

PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIA TE MEDICAL ATTENTION.

========= Fire Fighting Measures ==============

Autoignition Temp: Autoignition Temp Text: 806F

Lower Limits:.19

Extinguishing Media:USE DRY SAND, DOLOMITE, GRAPHITE, SODIUM CHLORIDE, SODA ASH, OR APPROPRIATE METAL-EXTINGUISHING POWDER. DON'T USE WATER.

Fire Fighting Procedure

s:MOVE CONTAINER FROM FIRE AREA IF POSSIBLE.

COOL CONTAINERS EXPOSED TO FLAME WITH WATER FROM SIDE UNTIL WELL AFTER FIRE IS OUT.

Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST WHEN EXPOSED TO HEAT OF FIRE. EXTINGUISH USING AGENT FOR TYPE OF FIRE. AVOID BREATHING FUMES FROM BURNING MATERIAL.

========= Accidental Release Measures ============

Spill Release Procedures:FOR LARGE SPILLS, SWEEP UP WITH A MINIMUM OF DUSTING AND PLACE ONTO SUITABLE, CLEAN, DRY

CONTAINERS FOR RECLAMATION OR LATER DISPOSAL. RESIDUE SHOULD BE CLEANED UP USING A HIGH-EFFICIENCY PARTICULATE FILTER VACUUM. Neutralizing Agent: NONE APPLICABLE FOR THIS MATERIAL ============= Handling and Storage ========================== Handling and Storage Precautions: STORE AWAY FORM INCOMPATIBLE SUBSTANCES. AVOID DISPERSION OF DUST IN AIR. FINELY DIVIDED PARTICLES, DUST OR FUMES MAY BE A SLIGHT FIRE HAZARD. Other Precautions: KEEP AWAY FROM SPARKS OR IGNITION SOURCE ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Ventilation: MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA IS NOT VENTED. Protective Gloves: RUBBER Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. Work Hygienic Practices: WASH THROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:N1 Melt/Freeze Pt:M.P/F.P Text:449F,232C Vapor Pres:1 Spec Gravity:7.28 Solubility in Water: INSOLUBLE Appearance and Odor: AN ODORLESS, SILVER -WHITE, LUSTROUS, SOFT, VERY MALLEABLE AND DUCTILE METAL. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES AMMONIUM NITRATE, BROMINE, BROMINE TRIFLUORIDE, CARBON TETRACHLORIDE AND WATER, CHLORINE. (SEE MSDS FOR LISTING)

Stability Condition to Avoid:ABNORMAL TEMPERATURES AND PRESSURES.

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY RELEASE STANNIC OXIDE.

Conditions to Avoid Polymerization: ABNORMAL TEMPERATURES

ΔN	D P	RF	SSI	IR	FS
\neg	I , F	11			

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all I

iability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.