View NSN Online: https://aerobasegroup.ae/nsn/7930-00-300-0119

Product ID:ALKALI, LAUNDRY MSDS Date:05/31/1989 FSC:7930 NIIN:00-300-0119 **MSDS Number: BHDLC** === Responsible Party === Company Name: GURTLER CHEMICALS INC Address:15475 SOUTH LASALLE STREET City:SOUTH HOLLAND State:IL ZIP:60473 Country:US Info Phone Num:312-331-2550 Emergency Phone Num:312-331-2550 Prepa rer's Name: MICHAEL JACOBS CAGE:DO315 === Contractor Identification === Company Name: GURTLER CHEMICAL, INC Address:15475 SOUTH LASALLE STREET Box:City:SOUTH HOLLAND State:IL ZIP:60473 Phone:800-535-5053 CAGE:DO315

Ingred Name:SODIUM HYDROXIDE (SARA III) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 17% MIN OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CARBONATE CAS:

497-19-8 RTECS #:VZ4050000 Fraction by Wt: 80% MAZ ACGIH TLV:10 MG/M3

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST') CAS:8012-95-1 RTECS #:PY8030000 Fraction by Wt: .50% MAX OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:SODIUM CARBOXYMETHYLCULLULOSE Fraction by Wt: 1.0% MIN ACGIH TLV:15 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA: NO Health Hazards Acute and Chronic:CONTACT WITH EYES CAUSES SEVERE

DAMAGE. INGESTION WILL CAUSE ULCERATION

First Aid:EYE AND SKIN CONTACT: WASH WITH COPIOUS AMOUNTS OF WATER AND SEEK MEDICAL ASSISTANCE. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER OR MILK ANDSEEK MEDICAL ASSISTANCE

Flash Point:NA Lower Limits:NA Upper Limits: NA Extinguishing Media:IS NON-COMBUSTIBLE. WATER SPRAY, DRY CHEMICAL, CO2, FOAM MAYBE USED IN AREAS WHERE THIS PRODUCT IS STORED Fire Fighting Procedures:PROTECTIVE CLOTHING FOR SKIN AND EYE PROTECTION SHOULD BE WORN TO PROTECT AGAINST HIGHLY ALKALINE CHEMICALS Unusual Fire/Explosion Hazard:THIS PRODUCT IS ALKALINE. AVOID CONTACT WITH ACIDIC MATERIALS. ADDITION OF WATERCREATES SOME HEAT

Spill Release Procedures

:STOP LEAK, CONTAIN/CLEAN UP IMMEDIATELY. LIQUID: REMOVE BY VACUUM TRACT. SOLID: SCOOP/PLACE IN APPROVED CONTAINER FOR DISPOSAL. NEUTRALIZE TRACES WITH DILUTE INORGANIC ACID, HYDROCHLORIC, SULFURIC, N ITRIC, PHOSPHORIC, OR ACETICE ACID. FLUSH AREA WTR Neutralizing Agent: DILUTE INORGANIC ACID SUCH AS HYDROCHLORIC, SULFURIC, NITRIC, PHOSPHORIC OR ACETIC Handling and Storage Precautions: PREVENT EYE AND SKIN CONT ACT. CONTAINERS SHOULD BESTORED IN DRY AREAS. KEEP CONTAINERS CLOSED Other Precautions: EYE WASH FOUNTAIN SHOULD BE AVAILABLE. SAFETY SHOWER. AVOID STORING NEXT TO STRONG ACIDS **Respiratory Protection: DUST MASK** Ventilation: GOOD GENERAL VENTILATION SUFFICIENT FOR MOST OPERATIONS Protective Gloves: RUBBER Eve Protection: CHEMICAL GOGGLES Other Protective Equipment: APRON AND BOOTS Work Hygienic Practices: GENERAL **Supplemental** Safety and Health NK HCC:B1

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:NA pH:> 12.0 Evaporation Rate & amp; Reference:NA Solubility in Water:APPRECIABLE Appearance and Odor:WHITE ODORLESS POWDER Percent Volatiles by Volume:NA Corrosion Rate:NA

Stability Indicator/Materials to

Avoid:YES STRONG ACIDS Hazardous Decomposition Products:NONE

Waste Disposal Methods:MAY BE HAZARDOUS WASTE THEREFORE, SPECIFIC REGUL. PACKAGE, STORE, TRANSPORT, DISPOSE OF ALL CLEAN-UPETC. IN ACCD WITH ALL APPL FED., STATE, & LOCAL HEALTH REG. WILL DEPEND ON THE PATURE OF WASTE & SHO ULD BE PREFORM BY COMPETENT CONTRACTORS. NOTIFY

Disclaimer (provided with this information by the compiling agencies): This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.