

TRIAD PAINT AND CHEMICAL CORP -- TT-P-91D, TY2, AMD 2 -- 8010-00-597-8199

=====  
Product Identification  
=====

Product ID:TT-P-91D, TY2, AMD 2

MSDS Date:01/01/1987

FSC:8010

NIIN:00-597-8199

MSDS Number: BHDPK

=== Responsible Party ===

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVENUE

City:BROOKLYN

State:NY

ZIP:11207

Country:US

Info Phone Num:(718) 443-2778

Emergency Phone Num:(

718) 443-2778

CAGE:33151

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name:TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVE

Box:City:BROOKLYN

State:NY

ZIP:11207-1140

Country:US

CAGE:33151

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL SPIRITS

CAS:64741-41-9

ACGIH TLV:100 PPM

Ingred Name:CELLOSOLVE ACETATE

CAS:111-1

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:VAPORS MIGHT BE IRRITATING TO EYES,  
NOSE & THROAT. EXCESSIVE EXPOSURE MAY RESULT IN HEADACHE,  
DIZZINESS, & NAUSEA. DEFATTING TO SKIN.  
Effects of Overexposure:VAPORS MIGHT BE IRRITATING TO EYES, NOSE &  
THROAT. EXCESSIVE EXPOSURE MAY RE  
SULT IN HEADACHE, DIZZINESS, &  
NAUSEA. DEFATTING TO SKIN

=====  
First Aid Measures  
=====

First Aid:INHALATION: PROVIDE FRESH AIR, AND REST. SKIN: WASH AFFECTED  
AREA WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. DRINK  
1 OR 2 GLASSES OF WATER TO DILUTE. SEE A PHYSICIAN. AND EYES:  
FLUSH WITH RUNNING WATER FOR 15 MINUTES.

=====  
Fire Fighting Measures  
=====

Flash Point:105 F 41 C  
Lower Limits:1.0  
U  
Upper Limits:7.0  
Extinguishing Media:CO2, DRY CHEMICAL, AND FOAM  
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS TO  
AVOID INHALATION OF SMOKE OR VAPORS. DO NOT USE WATER.  
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT,  
SPARKS, AND OPEN FLAMES. VAPORS FORM EXPLOSIVE MIXTURE BETWEEN  
UPPER AND LOWER EXPLOSIVE UNITS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VENTILATE AREA. REMOVE ALL SOURCES OF

IGNITION. PICK UP SPILL IMMEDIATELY WITH INERT ABSORBENT(S) & NON-SPARKING TOOL. SAFELY DISPOSE OF SATURATED ABSORBENTS BY IMMERSING IN WATER. WEAR PROTECTIVE CLOTHING DURING CLEAN-UP

=====  
===== Handling and Storage =====

Handling and Storage Precautions:AVOID OPEN FLAME AND SPARKS SOURCES. PROVIDE ADEQ-UATE VENTILATION. AVOID EXCESSIVE HEAT  
Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED/REPEATED CONTACT WITH SKIN. AND AVOID PRLONG ED/REPEATED BREATHING OF VAPORS

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CANNISTER MASK OR AIR PACK IF VENTILATION IS INADEQUATE  
Ventilation:LOCAL IS RECOMMENDED AND MECHANICAL WITH APPROVED EXPLOSION PROOF MOTER AND SWITCHES  
Protective Gloves:NEOPRENE RUBBER GLOVES  
Eye Protection:CHEMICAL SAFETY GOGGLES  
Supplemental Safety and Health  
NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:  
313-382 F  
Spec Gravity:1.12  
Evaporation Rate & Reference:..2  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:GRAY COLORED LIQUID. SWEET ODOR  
Percent Volatiles by Volume:68.7

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES  
Stability Condition to Avoid:WARM STORAGE AND IGNITION SOURCES  
Hazardous Decomposition Products:CO, CO2, SMOKE, TOXIC VAPORS, FUMES AND CARBON TETRACHLORID

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL METHOD MUST COMPLY WITH ALL LOCAL,  
STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any perso  
n utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.