

GENERAL ELECTRIC COMPANY -- SILICONE GREASE COMPOUND G624 -- 6850-00-664-4959
===== Product Identification =====

Product ID:SILICONE GREASE COMPOUND G624

MSDS Date:03/22/1988

FSC:6850

NIIN:00-664-4959

MSDS Number: BHDSF

=== Responsible Party ===

Company Name:GENERAL ELECTRIC COMPANY

Address:SILICONE PRODUCTS DIVISION

City:WATERFORD

State:NY

ZIP:12188

Country:US

Emergency Phone Num:518-237-3330

Pr

Preparer's Name:DA POLSINELLI

CAGE:OD426

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC COMPANY

Address:SILICONE PRODUCTS DIVISION

City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330

CAGE:OD426

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

===== Composition/Information on Ingredients =====

Ingred Name:(NO HAZARDOUS INGREDIENTS)

RTECS #:9999999

ZZ

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Effects of Overexposure:EYE: MAY CAUSE MILD EYE IRRITATION SKIN: NONE
INHAL: NONE INGEST: NONE
Medical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:INHAL: NONE INGST: RINSE MOUTH WITH WATER SEVERAL TIMES.
SKIN: WASH WITH SOAP AND WATER. EYES: IMMEDIATELY FLUSH EYES WITH
PLENTY OF WATER FOR 1
5 MINS. GET MEDICAL ATTENTION IF IRRITATION
PERSISTS.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:>500F/260C
Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA
Fire Fighting Procedures:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL
AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH
DETERGENT & WATER TO REDUCE SLI
PPING HAZARD.

=====
Handling and Storage
=====

Handling and Storage Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:CLOTH GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:NONE
Vapor Pres:NEG.
Vapor Density:NE

G.
Spec Gravity:1.035
pH:NA
Evaporation Rate & Reference:>1
Solubility in Water:INSOLUBLE
Appearance and Odor:OFF WHITE W/SLIGHT ODOR
Percent Volatiles by Volume: