

KARSEAL -- KARSEAL PURE CARNAUBA WAX -- 7930-00-985-6750

===== Product Identification =====

Product ID:KARSEAL PURE CARNAUBA WAX

MSDS Date:01/01/1987

FSC:7930

NIIN:00-985-6750

MSDS Number: BHFBL

=== Responsible Party ===

Company Name:KARSEAL

Address:11552 HART STREET

City:NORTH HOLLYWOOD

State:CA

ZIP:91605

Country:US

Info Phone Num:213-877-0168 OR 818-765-9852

CAGE:LO132

=== Contractor Identificat

ion ===

Company Name:KARSEAL

Address:11552 HART

City:NORTH HOLLYWOOD

State:CA

ZIP:91605-6228

Country:US

Phone:(213) 877-0168

CAGE:LO132

Company Name:KARSEAL CORP

Address:11552 HART

Box:City:NORTH HOLLYWOOD

State:CA

ZIP:91605-6228

Country:US

Phone:818-765-9852

CAGE:05164

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT 140

(MINERAL SPIRITS 140)

CAS:64742-47-8

Ingred Name:KEROSENE

(CHEVRON THINNER 450)

ACGIH TLV:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CNTRL NERVS SYST DEPRESS. W/HIGH CONCENTRATIONS. AFFECTED PERSONS USUALLY EXPER.COMPLETE RECOVERY WHEN REMOVED FROM EXPOSURE AREA. NOT EXPECTED TO BE ACUTELY TOXIC BY INGST.;INGST. OF THIS PRODUCT O R SUBSEQUENT VOMITING RESULTING IN ASPIRATION OF LIGHT HYDROCRB LIQ.

CAN CAUSE PNEUMONITIS IF PROD.

LIQUIFIES IN STOMACH

Explanation of Carcinogenicity:SOLVENT 140 & KEROSENE INGREDIENTS

CONTAIN TRACE AMTS OF BENZENE WHICH IS A STATE OF CA PROPOSITION 65 SUSPECTED CARCIN

Effects of Overexposure:INGESTION: IRRI, NAUSEA, VOMITING, & DIARRHEA.

SKIN: IRRI, DERMATITIS WITH PROLONGED/REPEATED CONTACT. INHALATION: EXCESSIVE OF VAPORS CAN CAUSE NASAL & RESPIRATORY IRRI, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, & HEADACHE. EYE: IRRI, REDNESS, TEAR

ING, & BLURRED VISION.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN, & RESPIRATORY

DISORDERS. AS WITH ANY CHEM, THIS PRODUCT MAY AGGRAVATE ALLERGICCONDITIONS WITH CERTAIN PEOPLE

===== First Aid Measures =====

First Aid:INGESTION: SEEK MED. ATTN. HAVE PHYSICIAN DETERMINE IF CONDITION OF PATIENT WILLPERMIT VOMIT/EVACUATION OF STOMACH. SKIN: WASH W/SOAP & WATER. SEEK MED. ATTN. IF IRRI DEVELOP. INHALATION: REMOVE TO F RESH AIR

. IF BREATHING IS DIFF SEEK MED.ATTN. IF NOT

BREATHING GIVE CPR & SEEK MED. ATTN. EYES: IMMD FLUSH W/PLENTY OF WATER. LIFTING LIDS OCCASIONALLY. SEEK MED. ATTN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:140F/60.0C

Extinguishing Media:CO2, DRY CHEMICAL, FOAM. USE WATER FOG TO COOL CONTAINERS ONLY

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE. COOL FIRE EXPOSED CONTAINERS

WITH WATER
FOG.

Unusual Fire/Explosion Hazard:COMBUSTIBLE SOLVENT MIXTURE. EXPOSED
CONTAINER MAY SWELL/BURST. AVOID SPREADING BURNING LIQUID W/WTR
USED FOR COOL PURPOSE. VAPORS >AIR & WILL TRAVEL/IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. SLIPPERY FLOOR.
IF CONTAMINATED PLACE IN A CONTAINER FOR DISPOSAL. IF UNCONTROLLED
RELEASE, THE USER SHOULD DETERMINE IF THE RELEASE IS REPORTABLE

UNDER APPLICABLE LAWS & REGULATIONS. EYEWASH STATIONS SHOULD
BE PRESENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE UPRIGHT IN A COOL WELL
VENTILATED AREA AWAY FROM OTHER CHEM, FOOD & IGNITION SOURCES. KEEP
CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:CONTAINERS OF THIS MATL MAY BE HAZARDOUS WHEN EMPTIED
(CONTAIN PRODUCT RESIDUES)ALL HAZARD PRECAUTIONS GIVEN IN MSDS MUST
BE OBSERVED. MISUSE OF EMPTY
CONTAINER MAY BE HAZARDOUS. CUTTING,
WELDING, ETC. ON/BY CONT MAY EXPLODE OR CAUSE FIRE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROVED RESPIRATOR FOR ORGANIC VAPORS.
AVOID BREATHING OF VAPORS.

Ventilation:MECHANICAL VENTILATION IS RECOMMENDED

Protective Gloves:SOLVENT RESIST RUBBER(NITRILE, NEOPRENE)

Eye Protection:NOT EXPECTED TO BE A PROBLEM

Other Protective Equipment:EYE WASH FACILITY/SOURCE OF POTABLE WATER.
DO NOT WEAR

CONTACT LENSES, WILL CONTRIBUTE TO THE SEVERITY OF THE
EYE IRRITATION

Work Hygienic Practices:WASH HANDS BEFORE EATING,SMOKING, OR USING
TOILET FACILITIESFOOD SHOULD BE KEPT AWAY FROM THE WORKING AREA.

Supplemental Safety and Health

NOTE TO PHYSICIAN: NOT EXPECTED TO BE ACUTELY TOXIC BY INGESTION.
INGESTION OF THIS PRODUCT OR SUBSEQUENT VOMITING RESULTING IN
ASPIRATION OF LIGHT HYDROCARBON LIQ.CAN CAUSE PNEUMONITIS IF THE
PRODUCT LIQUIDifies IN THE STOMACH. DO NOT GET IN EYESKIN OR

CLOTHING. KEEP OUT OF REACH OF CHILDREN. DONOT TAKE INTERNALLY.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:> 300 F

Melt/Freeze Pt:M.P/F.P Text:> 100 F

Vapor Pres:< 17 MM HG

Vapor Density:> 1 AIR

Evaporation Rate & Reference:< THAN 1 WATER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SOLID, HYDROCARBON ODOR, YELLOW COLOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG

OXIDIZING AGENTS, SOME PLASTICS. TEMPERATURE EXTREMESFLAMES, &
IGNITION SOURCES

Hazardous Decomposition Products:CARBON OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:LIQ. INCINERATION APPROVED SITE. PRODUCT IS AN
OILUNDER THE CLEAN WATER ACT. KEEP OUT OF SURFACE WATER & ANY
WATER COURSES OR SEWER ENTERING OR LEADING TO SUFACE WATERS.
DISPOSE OF ACCORDING TO LOCAL, COUNTY, STATE & FED REGULATIONS.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.