View NSN Online: https://aerobasegroup.ae/nsn/5310-01-153-8911

Product ID: ID 11 PLUS DEVELOPER MSDS Date:09/16/1988 FSC:6750 NIIN:01-153-8911 Kit Part:Y MSDS Number: BHHVS === Responsible Party === Company Name: ILFORD PHOTO CORP. Address:W.70 CENTURY ROAD Box:288 **City:PARAMUS** State:NJ ZIP:07653 Country:US Info Phone Num:201-265-6000 Emergency Phone Num:800-888-83 72 CAGE:64145 === Contractor Identification === Company Name: ILFORD PHOTO CORP Address:W 70 CENTURY RD Box:City:PARAMUS State:NJ ZIP:07653 Country:US Phone:201-265-6000 CAGE:64145 Ingred Name: HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 70-75% OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: P-METHYLAMINOPHENOL SULFATE (METOL) CAS:55-55-1 RTECS #:SL8650000 Frac

tion by Wt: 25-30%

Ingred Name:CINNAMIC ACID DISULFIDE CAS:63684-32-2 Fraction by Wt: 1-5%

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:PRODUCT MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. IT IS CONSIDERED A LOW HAZARD FOR NORMAL INDUSTRIAL HANDLING.
Explanation of Carcinogenicity:IARC REPORTS HYDROQUINONE 'INSUF FICIENT EVIDENCE TO CLASSIFY
Effects of Overexposure:EYE:CAUSES IRRITATION SKIN:CAUSES IRRITATION, AND MAY SENSITIZE AN ALLERGIC REACTION. INHALED:UNLIKELY EXPOSURE,MAY CAUSE IRRITATION. INGESTED:MAY BE HARMFUL IF SWALLOWED. HMIS:MAY CAUSE G/I IRRITATION. INCREASED RESPIRATORY RATE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

Firs

t Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH SKIN WITH SOAP AND WATER. INHALED: REMOVE TO FRESH AIR. INGESTED:IF CONSCIOUS,GIVE 1-2 GLASSES OF WATE R AND IMMEDIATELY INDUCE VOMITING. (NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL CARE. IF ANY IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL CARE.

Flash Point:POWDER

Extinguishing Media:USE CAR

BON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER

FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures: SWEEP UP POWDER USING CARE NOT TO CAUSE DUST

## OR MOP UP LIQUID WITH CLOTH, PAPER, ETC. Neutralizing Agent:NONE

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP AWAY FROM STRONG ACIDS. Other Precautions: READ LABEL AND FOLLOW INSTRUCTIONS. Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED **RESPIRATOR DURING MIXING OF DEVELOPER SOLUTION IF LOCA** L EXHAUST IS INSUFFICIENT TO CONTROL DUST. Ventilation:NORMAL ROOM VENTILATION IS SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST WHEN MIXING DEVELOPER SOLUTION. Protective Gloves: RUBBER, VINYL, OTHER IMPERVIOUS Eye Protection: SAFETY GLASSES OR SPLASH GOGGLES Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER. USE APRON AND FACE SHIELD WHEN MIXING DEVELOPER OR IF SPLASHING IS LIKELY. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. AVOID PRO LONGED AND/OR REPEATED CONTACT. Supplemental Safety and Health ILFORD STOCK NUMBER IS MC9110044. MSDS ALSO COVERS STOCK NUMBER MC9110039 (MSDS DATE 14SEP88) TO MAKE 1 QUART. ALSO SEE ADD.DATA. HCC:N1 Spec Gravity:>1.0 Solubility in Water:COMPLETE Appearance and Odor:LIGHT TAN TO WHITE POWDER, NO ODOR \* PH WORKING SOLUTION IS 9.6 Percent Volatiles by Volume:0 \_\_\_\_\_ Stability Indicator/Materials to Avoid:YES **MINERAL ACIDS** Stability Condition to Avoid:NO INFORMATION GIVEN BY MANUFACTURER Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, SULFUR DIOXIDE, NITROGEN OXIDES Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS. MFR SUGGESTS FLUSH TO ACID-FREE SEWER IF PERMITTED.

Disclaimer (provided with this information by the compiling age

## ncies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.