View NSN Online: https://aerobasegroup.ae/nsn/6750-00-433-7487

CLAYTOM CHEMICAL CO. -- INDUSTRIAL X-RAY INSTANT ACTIVATOR 141-001 -- 6750-00-433-7487

Product ID: INDUSTRIAL X-RAY INSTANT ACTIVATOR 141-001 MSDS Date:08/25/1989 FSC:6750 NIIN:00-433-7487 MSDS Number: BHJJW === Responsible Party === Company Name: CLAYTOM CHEMICAL CO. Address:13310 FIGUEROA STREET **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:213-53 8-9530 Emergency Phone Num:213-538-9530 Preparer's Name: D. FUJII CAGE: JO863 === Contractor Identification === Company Name: CLAYTOM CHEMICAL CO. Address:13310 S. FIGUEROA STREET **City:LOS ANGELES** State:CA ZIP:90061 Country:US Phone:213-538-9530 CAGE: JO863 Company Name: CLAYTON CHEMICAL (703-759-9399) CAGE:62820 Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803

====== Com

position/Information on Ingredients =========

Ingred Name:SODIUM HYDROXIDE (SARA III) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 4-5% OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III) CAS:7601-54-9 RTECS #:TC9490000 Fraction by Wt: 8-10% EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 3-4%

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 7-9%

Ingred Name:2-(2-AMINOETHOXY)-ETHANOL (DIGLYCOLAMINE) CAS:929-06-6 RTECS #:KJ6125000 Fraction by Wt: 8-10%

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60-70%

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CAUSES SEVERE BURNS Effects of Overexposure:EYES/SKIN:CAUSES S EVERE BURNS. INGESTION:HARMFUL IF SWALLOWED. Medical Cond Aggravated by Exposure:CORROSIVE TO TISSUE. DERMATITIS MAY BE AGGRAVATED.

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.SEE DOCTOR IMMEDIATELY. SKIN:REMOVE CONTAMINATED CLOTHING AND SHOES.FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.IF IRRITATION PERSISTS,SE E DOCTOR. INGESTION:DRINK WATER AND MILKAND SEE DOCTOR IMMEDIA TELY.*DO NOT INDUCE VOMITING!*

Flash Point:NONE Extinguishing Media:AS APPROPIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures:WEAR GLOVES. ABSORB IN INERT ABSORBENT AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND COVER. WASH AREA WITH LARGE AMOUNTS OF WATER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NORMA

рН :14

Solubility in Water:COMPLETE Appearance and Odor:CLEAR,COLORLESS LIQUID. SLIGHT AMINE ODOR.

Stability Indicator/Materials to Avoid:YES STRONG MINERAL ACIDS. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:SULFUR DIOXIDE AND CARBON DIOXIDE.

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF IN ACCORDANCE WI TH ALL APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.