

HERNON MANUFACTURING INC. -- ANAEROBIC 826 -- 8030-00-111-6404

=====
Product Identification
=====

Product ID:ANAEROBIC 826

MSDS Date:10/01/1989

FSC:8030

NIIN:00-111-6404

MSDS Number: BHMDR

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:SACCHARIN (SARA III)

CAS:81-07-2

RTECS #:DE4200000

Fraction by Wt: < 1%

EPA Rpt Qty:100 LBS

DOT Rpt Qt

y:100 LBS

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)

CAS:80-15-9

RTECS #:MX2450000

Fraction by Wt: 2-3%

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:N.N. DIALKYL TOLUIDINES

Fraction by Wt: < 1%

OSHA PEL:NOT LISTED

ACGIH TLV:NOT LISTED

Ingred Name:ACETYLPHENYLHYDRAZINE

CAS:114-83-0

RTECS #:AJ2900000

Fraction by Wt: < 1%

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Hea

lth Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NOT LISTED IN ANY OF THE ABOVE

Effects of Overexposure:PROLONGED EXPOSURE TO SKIN MAY CAUSE IRRITATION

=====
===== First Aid Measures =====

First Aid:SKIN & EYES: FLUSH WITH WATER. INGESTION: DO NOT INDUCE
VOMITING. GET MEDICAL ATTENTION

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:> 200 F/ > 93 C

Lower Limits:NA

Upper Limits:NA

Exti

Extinguishing Media:FOAM, DRY CHEMICAL

Fire Fighting Procedures:SELF CONTAINED BREATHING AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN INERT MATERIAL. STORE IN CLOSED CONTAINERS UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 100 F AND AVOID PROLONGED

SKIN CONTACT

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NON APPLICABLE

Ventilation:MECHANICAL (GENERAL): REQUIRED, LOCAL EXHAUST NOT NECESSARY OTHER NORMALLY IS NOT NEEDED

Protective Gloves:RUBBER OR PLASTIC IS RECOMMENDED

Eye Protection:SAFETY GLASSES IS RECOMMENDED

Other Protective Equipment:NONE

Work Hygienic Practices:AS REQUIRED

Supplemental Safety and Health

NK

===== Physical/Chemical

Properties =====

HCC:T7

Boiling Pt:B.P. Text:> 300 F

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:< 5 @ 80 F

Spec Gravity:1.13 @ 80 F

Evaporation Rate & Reference:POLYMERIZES

Solubility in Water:LOW

Appearance and Odor:GREEN LIQUID, ODOR IS MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:EXCESS HEAT AND STRONG OXIDIZING AGENT

Hazardous Decomposition Products:NONE

Conditions to

Avoid Polymerization:ELEVATED TEMPERATURE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY IN ACCORDANCE TO LOCAL & STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.