View NSN Online: https://aerobasegroup.com/nsn/6850-00-753-4998

## 

Product ID:PENETONE 1107 MSDS Date:04/06/1987 FSC:6850 NIIN:00-753-4998 MSDS Number: BHMVG === Responsible Party === **Company Name: PENETONE CORPORATION** Address:74 HUDSON AVENUE City:TENAFLY State:NJ ZIP:07670 Country:US Info Phone Num:201-567-3000 Emergency Phone Num:201-567-3000 CAGE:53883 === Contractor Identification === Company Name: PENETONE CORP Address:74 HUDSON AVE Box:City:TENAFLY State:NJ ZIP:07670 Country:US Phone:201-567-3000 CAGE:56883 Company Name: PENETONE CORPORATION/SUB OF WEST CHEMICAL PRODUCTS INC Address:74 HUDSON AVENUE Box:City:TENAFLY State:NJ ZIP:07670 Phone: (201) 567-3000 CAGE:53883

Ingred Name:NON-HAZARDOUS INGREDIENTS

Routes of Entr

 y: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:SKIN CONTACT MAY CAUSE IRRITATION UPON PROLONGED OR REPEATED CONTACT. EYES: CONTACT WITH EYES WILL CAUSE IRRITATION.
Explanation of Carcinogenicity:NA
Effects of Overexposure:EYES: POSSIBLE IRRITATION AND REDNESS. SKIN: PROLONGED CONTACT MAY CAUSE DRYNESS.
Medical Cond Aggravated by Exposure:CUTS AND ABRASIONS

First Aid:EYES: FLUS H WITH WATER FOR 15 MIN., IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.SKIN: FLUSH WITH WATER FOR 15 MIN., IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.INHALATION: REMOVE TO FRESH AIR. INGESTI ON: DRINK LARGE QUANTITIES OF MILK/WATERCONSULT A PHYSICIAN IMMEDIATELY.

Flash Point Method:COC Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:NA Fire Fighting Procedures:NONE Unusual Fire/Explosion H azard:NONE

Spill Release Procedures:USE ABSORBENT MATERIAL OR FLUSH WITH LARGE QUANTI-TIES OF WATER. Neutralizing Agent:WEAK ACIDS SUCH AS VINEGAR

Handling and Storage Precautions: KEEP FROM FREEZING. KEEP OUT OF REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED UNDER NORMAL U

SE CONDITIONS Ventilation:NATURAL VENTILATION IS NORMALLY SUFFICIENT Protective Gloves:RUBBER Eye Protection:SPLASH PROOF GOGGLES Other Protective Equipment:RUBBER APRON IF SPLASHING IS ANTICIPATED Supplemental Safety and Health NK

Boiling Pt:B.P. Text:212 F Vapor Pres:NA Vapor Density:NA Spec Gravity:1.14 pH:10.5 Evaporation Rate & amp; Reference:NA Solubility in Water:COMPLETE Appearance and Odor:DARK AMBER LIQUID WITH A MIL D ODOR Percent Volatiles by Volume:NEG

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND/OR OXIDIZING MATERIALS Hazardous Decomposition Products:NA

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL EPA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formul ated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.