

FENWIL INC. -- 80055-044, PART B -- 8040-00-776-9603

=====
Product Identification
=====

Product ID:80055-044, PART B

MSDS Date:05/01/1985

FSC:8040

NIIN:00-776-9603

Kit Part:Y

MSDS Number: BHMVR

=== Responsible Party ===

Company Name:FENWIL INC.

Address:400 MAIN STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:508-881-2000

Emergency Phone Num:508-881-2000

CAGE:LO947

=== Contractor

Identification ===

Company Name:FENWAY SAFETY SYSTEMS INC

Address:700 NICKERSON RD

Box:City:MARLBOROUGH

State:MA

ZIP:01752

Country:US

CAGE:73168

Company Name:FENWIL INC.

Address:400 MAIN STREET

Box:City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:508-881-2000

CAGE:LO947

=====
Composition/Information on Ingredients
=====

Ingred Name:NO HAZARDOUS INGREDIENTS

(SEE SECTION II OF MSDS 804-00-776-9603)

=====
Hazards Identification
=====

====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Effects of Overexposure:MAY CAUSE INJURY TO SKIN FOLLOWING
PROLONGED/REPEATED CONTACT & MAY CAUSE SKIN SENSITIZATION OR OTHER
ALLERGIC RESPONSES.

=====
===== First Aid Measures =====

First Aid:AVOID INHALATION OF VAPOR. PREVENT CONTACT WITH SKIN. IF
CONTACT OCCURS, WASH IMMEDIATELY W/SOAP & WATER. IF IRRITATION
OCCURS, REMOVE INDIVIDUAL FROM FURTHERCONTACT WITH MATERIAL.

=====
===== Fire Fighting Measures =====

Flash Point:180F/82.22C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS & REMOVE. RESIDUAL CAN BE
REMOVED RESIDUAL CAN BE REMOVED W/NONFLAMMABLE SOLVENT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR
Ventilation:LOCAL AND MECHANICAL EXHAUST
Protective Gloves:IMPERVIOUS GLOVES
Eye Protection:SPLASH PROOF GOGGLES
Other Protective Equipment:SAFETY SHOWER, AND EYE WASH FACILITIES
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:1.01
Evaporation Rate & Reference:NA
Solubility in Water:NA
Appearance and Odor:CLEAR L

IQUID

Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EPOXY RESINS UNDER UNCONTROLLED CONDITIONS, STRONG ACIDS

Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER
LONG PERIODS OF TIME

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LCOAL POLLUTION
REGULATIONS AND ORDINANCES.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.