

SEYMOUR OF SYCAMORE, INC. -- RED GP3890-5000 AEROSOL -- 8010-00-958-8147

=====
Product Identification
=====

Product ID:RED GP3890-5000 AEROSOL

MSDS Date:12/12/1989

FSC:8010

NIIN:00-958-8147

MSDS Number: BHMZR

=== Responsible Party ===

Company Name:SEYMOUR OF SYCAMORE, INC.

Address:917 CROSBY AVENUE

City:SYCAMORE

State:IL

ZIP:60178

Country:US

Info Phone Num:815-895-9101

Emergency Phone Num:815-895

-9101

CAGE:59581

=== Contractor Identification ===

Company Name:SEYMOUR OF SYCAMORE

Address:917 CROSBY AVE.

Box:City:SYCAMORE

State:IL

ZIP:60178-1343

Country:US

Phone:815-895-9101/800-255-3924

CAGE:59581

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL BENZENE

CAS:100-41-2

Fraction by Wt: 1.56%

OSHA PEL:100. PPM 425 MG/M3

ACGIH TLV:100. PPM 434 MG/M3

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 15.18%

OSHA PEL:200 PPM/150

STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 6.24%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
Fraction by Wt: .77%
OSHA PEL:500 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 25.93%
OSHA PEL
:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 20.0%
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:ISOBUTANE
CAS:75-28-5
Fraction by Wt: 13.3%
OSHA PEL:ND
ACGIH TLV:ND

===== Hazards Identification =====

LD50 LC50 Mixture:NONE KNOWN.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:INHALE: IRRITATION, HEADACHE,
DIZZINESS

, NAUSEA, UNCONSCIOUSNESS, ASPHYXIATION. EYES: IRRITATION UPON DIRECT CONTACT. SKIN: MAY CAUSE DEFATTING, LEADING TO IRRITATION & DERMATITIS. INGESTION: IS UNLIKELY FROM AN AEROSOL CAN. IF INGESTED CALL PHYSICIAN IMMEDIATELY.

Explanation of Carcinogenicity: NONE KNOWN.

Effects of Overexposure: INHALE: IRRITATION, HEADACHE, DIZZINESS, NAUSEA, UNCONSCIOUSNESS, ASPHYXIATION. EYES: IRRITATION UPON DIRECT CONTACT. SKIN: MAY CAUSE DEFATTING, LEADING TO IRRITATION & DERMATITIS.

INGESTION: IS UNLIKELY FROM AN AEROSOL CAN. IF INGESTED CALL PHYSICIAN IMMEDIATELY.

Medical Condition Aggravated by Exposure: NONE KNOWN.

=====
===== First Aid Measures =====

First Aid: INHALE: REMOVE TO FRESH AIR. IF BREATH STOPS, CPR/OXYGEN. SEEK IMMEDIATE MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. ALSO INGESTION: CALL PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point: NR

Lower Limits: 1.00

Extinguishing Media: USE CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures: WATER SPRAY MAY BE INEFFECTIVE, BUT USED TO COOL CONTAINERS TO PREVENT BURSTING. IF WATER IS USED, FOG NOZZLE IS PREFERRED. WEAR GOGGLES & SELF CONTAINING BREATH APPARATUS.

Unusual Fire/Explosion Hazard: EXPOSURE TO HEAT MAY CAUSE BURSTING OF AEROSOL CAN.

=====
===== Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS. VENTILATE AREA. WIPE UP WITH INERT MATERIALS AND PLACE IN APPROPRIATE CONTAINERS.

Neutralizing Agent: NONE KNOWN.

=====
===== Handling and Storage =====

Handling and Storage Precautions: DO NOT STORE ABOVE 120 F. EXPOSURE TO HEAT OR PROLONG EXPOSURE TO SUN MAY CAUSE BURSTING.

Other Precautions: USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING

G VAPORS AND INHALING CONTENTS CAN BE
HARMFUL AND/OR FATAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID CONTINUOUS BREATHING OF VAPORS AND SPRAY
MIST. A SELF CONTAINED BREATHING APPARATUS REQUIRED FOR
CONCENTRATIONS ABOVE TLV LIMITS.

Ventilation:USE WITH ADEQUATE VENTILATION, SUFFICIENT TO PREVENT
INHALATION OF SOLVENT VAPORS.

Protective Gloves:OPTIONAL.

Eye Protection:WHERE MIST MAY GET INTO EYES.

Other Protective Equ

ipment:NONE KNOWN.

Work Hygienic Practices:NONE KNOWN.

Supplemental Safety and Health

NONE KNOWN.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:NA

Vapor Density:< AIR

Evaporation Rate & Reference:FASTER THAN ETHER

Solubility in Water:NONE KNOWN.

Appearance and Odor:NONE KNOWN.

Percent Volatiles by Volume:85

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG ACIDS AN
D STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:DO NOT STORE ABOVE 120 DEGREES F. KEEP
FROM SPARKS, PILOT LIGHTS OR OPEN FLAMES.

Hazardous Decomposition Products:MAY PRODUCE HAZARDOUS FUMES WHEN
HEATED TO DECOMPOSITION. FUMES MAY CONTAIN CARBON DIOXIDE AND/OR
CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE AEROSOL. DISPOSE OF IN ACCORD-
ANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO

NOT PLACE

AEROSOL CANS IN HOME COMPACTOR. DO NOT PUNCTURE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.