

CON-LUX COATINGS, INC. -- ENAMEL ALKYD GLOSS, COMP L YELLOW 13538 -- 8010-00-527-2045
===== Product Identification =====

Product ID:ENAMEL ALKYD GLOSS, COMP L YELLOW 13538

MSDS Date:07/31/1987

FSC:8010

NIIN:00-527-2045

MSDS Number: BHQTJ

=== Responsible Party ===

Company Name:CON-LUX COATINGS, INC.

Address:226 TALMAGDE ROAD

Box:847

City:EDISON

State:NJ

ZIP:08818-0847

Country:US

Info Phone Num:(20

6) 287-4000

Emergency Phone Num:(206) 287-4000

CAGE:60189

=== Contractor Identification ===

Company Name:CON-LUX COATINGS INC

Address:226 TALMADGE RD

Box:847

City:EDISON

State:NJ

ZIP:08818-0847

Country:US

Phone:732-287-4000

CAGE:60189

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

VAPOR PRESSURE 2 MMHG @ 20C

CAS:64742-47-8

RTECS #:SE7555000

Fraction by Wt: >1%

OSHA PEL:100 PPM

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #

:XR2275000
Fraction by Wt: >1%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:LEAD CHROMATE
CAS:1334-37-2
RTECS #:GB2975000
Fraction by Wt: >1%
ACGIH TLV:.05PB .1CR03 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Effects of Overexposure:EYE/SKIN: IRRITATION MAY OCCUR WITH
OVEREXPOSURE. INHALATION: MAY
IRRITATE RESPIRATORY TRACT CAUSING HEADACHES, DIZZINESS, NAUSEA.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH IMMEDIATELY W/COPIOUS QTY'S OF WTR FOR 15
MINS.CONSULT A PHYSICIAN. SKIN:WASH AFFECTED AREAS W/SOAP &
WTR.REMOVE CONTAMINATED CLOTHING. INHALATION:REMOVE TO
FRESH AIR. RESTORE RESPIRATION IF NECESSARY.CONSULT
PHYSICIANINGESTION: DONOT INDUCE VOMITING. DRINK 1-2 GLASSES OF WATER
TO DILUTE.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:105F/
40.56C
Lower Limits:1.0
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER MIST
Fire Fighting Procedures:SMOTHER FLAMES WITH ONE OF THE ABOVE
EXTINGUISHING MEDIA. WATER MAY BE USED TO COOL DOWN UNOPENED
CONTAINERS IN VICINITY.
Unusual Fire/Explosion Hazard:DO NOT USE IN AREAS WHERE SPARKS OR OPEN
FLAMES ARE PRESENT. CONTAINS FLAMMABLE SOLVENT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES.CONTAIN SPILL

WITH ABSORBENT MATL & PUT INTO VAPOR TIGHT CONTAINERS. PREVENT MATERIAL FROM CONTACTING ANY WATER SOURCESOR SEWERS LEADING TO SURFACE WATERS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AREAS DESIGNED TO COMPLY WITH ANSI/NFPA30FLAMMABLE AND COMBUSTIBLE LIQUIDS CODE.

Other Precautions:GROUND CONTAINERS WHEN POURING LIQUIDS & POWDERS TO AVOID STATIC CHARGE BUILD UP

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN OUTDOORS, OPEN,OR RESTRICTED VENTILATED AREAS USE APPROVED RESPIRATOR.

Ventilation:SUFFICIENT VENTILATION

Protective Gloves:IMPERVIOUS TYPE REQUIRED FOR LONG EXPSR

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT WITH CONTAMINATED CLOTHING

Work Hygienic Practices:WASH HANDS BEFORE EATING,SMOKING,OR USING WASHROOM FACILITS.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:148-323F

Vapor Density:> AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:60.15

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS

Stability Condition to Avoid:EXTREME HEAT, SPARKS, OR OPEN FLAMES

Hazardous Decomposition Products:MAY PRODUCE HAZARDOUS FUMES WHEN HEATED

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE,
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice
to verify and
assume responsibility for the suitability of this information to their
particular situation.