

MARCO CO -- MARCOLOY#1109 PASTE FLUX(WHITE);SOLDER FLUX -- 3439-01-297-3284

=====  
Product Identification  
=====

Product ID:MARCOLOY#1109 PASTE FLUX(WHITE);SOLDER FLUX

MSDS Date:03/18/1988

FSC:3439

NIIN:01-297-3284

Kit Part:Y

MSDS Number: BHXQZ

=== Responsible Party ===

Company Name:MARCO CO

Address:5722 UNION PACIFIC AVENUE

City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Info Phone Num:213-723

-0711

Emergency Phone Num:213-723-0711

CAGE:55278

=== Contractor Identification ===

Company Name:MARCO CO

Address:5722 UNION PACIFIC AVENUE

Box:City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Phone:213-723-0711

CAGE:55278

Company Name:SPECIALTY TOOLS INC

Address:1123 S. HATCHER AVE

Box:City:ROWLAND HEIGHTS

State:CA

ZIP:91748-1003

Country:US

Phone:626-912-4467

CAGE:7W874

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC CHLORIDE (SARA III)

CAS:7646-85-7

RTECS #:ZH1400000  
OSHA PEL:1 MG/M3/2 STEL  
ACGIH TLV:1 MG/M3/2STEL FUME93  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:AMMONIUM CHLORIDE (SARA III)  
CAS:12125-02-9  
RTECS #:BP4550000  
OSHA PEL:10 MG/M3/20 STEL  
ACGIH TLV:10 MG/M3 FUME; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM FLUORIDE (SARA III)  
CAS:7681-49-4  
RTECS #:WB0350000  
OSHA PEL:2.5 PPM F  
ACGIH TLV:2.5 MG F/M3; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)  
CAS:7647-01-0  
RTECS #:MW4025000  
OSHA PEL:C 5 PPM  
ACGIH TLV:C 5 PPM; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:WATER(DEIONIZED)  
CAS:7732-18-5  
RTECS #:ZC0110000

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF  
EYES,SKIN,RESPIRATORY OR G.I.TRACT;REDNESS OR BURNS OF EYES ARE  
PO

SSIBLE FROM FUMES AND GASES(WELDING PROCESS.)FUMES MAY CAUSE  
DIZZINESS,NAUSEA OR DRYNESS.CHROMIC:WELDING FUMES MAY LEAD TO  
SIDEROSIS(IRON DEPOSIT IN LUNGS.)

Explanation of Carcinogenicity:DATA PER MGF MSDS.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
First Aid Measures  
=====

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT  
15-20 MINUTES;

SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE  
TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION  
IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL IF APPLICABLE.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusu

al Fire/Explosion Hazard:WELDING ARC AND SPARKS CAN BE IGNITED;  
FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS  
DECOMPOSITION PRODUCTS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SWEEP UP OR  
VACUUM AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:USE AS DIRECTED

Other Precautions:WAS

H THOROUGHLY AFTER EACH USE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR  
DUST/MIST/VAPORS IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:AS REQUIRED FOR WELDING

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH  
FACILITIES,SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;D

O NOT BREATHE

VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT  
EAT,DRINK,SMOKE.

Supplemental Safety and Health

FOLLOW ALL PRECAUTIONS AS APPLICABLE FOR CUTTING AND WELDING .

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:SOLDER FLUX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE NOTEED

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazar

dous Decomposition Products:TOXIC FUMES OR VAPORS FROM METAL BEING

WELDED.(DEPENDS UPON METAL,PROCESS,PROCEDURES AND ELECTRODES BEING  
USED)

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN  
ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.