View NSN Online: https://aerobasegroup.ae/nsn/6840-01-318-7417

ELANCO PRODUCTS CO DIV LILLY ELI AND CO -- SURFLAN A.S. -- 6840-01-318-7417

Product ID:SURFLAN A.S. MSDS Date:08/03/1992

FSC:6840

NIIN:01-318-7417

MSDS Number: BHXRD === Responsible Party ===

Company Name: ELANCO PRODUCTS CO DIV LILLY ELI AND CO

Address:3901 W 86TH ST

City: INDIANAPOLIS

State:IN

ZIP:46268-1702 Country:US

Info Phone Num:317-276-3000

Emergency Phone Num:317-276-2000

CAGE:21626

=== Contractor Identification ===

Company Name: ELANCO PRODUCTS CO DIV LILLY ELI AND CO

Address:3901 W 86TH ST Box:City:INDIANAPOLIS

State:IN

ZIP:46268-1702 Country:US

Phone:317-276-2000

CAGE:21626

Company Name: SILFEN LEO INC, INDUSTRIAL CHEMICAL DIV

Address: 80 BUSINESS PARK DR SUITE 206

Box:City:ARMONK

State:NY

ZIP:10504-1710 Country:US

Phone:800-431-1075

CAGE:1GJ71

====== Composition/Information on Ingredients ========

Ingred Name: ORYZALIN (3,5-DINITRO

-N*4.N*4-DIPROPYLSULFANILAMIDE) CAS:19044-88-3 Fraction by Wt: 40.4% Ingred Name: OTHER INGREDIANT Fraction by Wt: 59.6% Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES-SLIGHT TRANSIENT IRRITATION. SKIN- PROLONGED EXPOSURE MAY CAUSE IRRITATION OR ALLERGIC REACTIONS IN SOME INDIVIDUALS. INGESTION- SINGLE DOSE TOXICITY I S LOW. INHALATION- HIGHER TEMPERATURES MAY GENERATE VAPOR LEVELS SUFFICIENT TO CAUSE IRRITATION AND OTHER EFFECTS. Explanation of Carcinogenicity: DATA PER MGF MSDS. Effects of Overexposure: SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY BE WORSEN. First Aid:EYES & SKIN- FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS. INGESTION- DO NOT INDUCE VOMITING. CALL A PHYSICIAN OR POISON CONTROL CENTER. INHALATION-REMOVE INDIVIDUAL TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING DIFFICULTY OCCURS. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION IMMEDIATELY. Flash Point:>200F,>93C Extinguishing Media: USE SUITABLE MEDIA FOR SURROUNDING FIRES. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:THIS MATERIAL WILL NOT BURN UNTIL A SUFFICIENT AMOUNT OF WATER HAS EVAPORATED. THE EXPLOSIVE POTENTIAL OF ORYZALIN AS AN AIRBORNE DUST IS RATED AS SEVERE.

======== Accidental Release Measures ===========

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE SUITABLE INERT ABSORBENT MATERIAL AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

siderations =========

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.