

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC -- MIL-G-23827B, CODE:10912, GREASE AIRCRAFT INS -- 9150-00-985-7248

===== Product Identification =====

Product ID: MIL-G-23827B, CODE:10912, GREASE AIRCRAFT INS

MSDS Date: 11/01/1990

FSC: 9150

NIIN: 00-985-7248

MSDS Number: BHXYZ

=== Responsible Party ===

Company Name: BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address: 1174 ERIE AVE

Box: 728

City: NORTH TONAWANDA

State: NY

State: NY

ZIP: 14120-3036

Country: US

Info Phone Num: 716-695

Emergency Phone Num: 716-695-2100

Preparer's Name: THOMAS G. MUSILLI

CAGE: EO110

=== Contractor Identification ===

Company Name: BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address: 1174 ERIE AVE

Box: 728

City: NORTH TONAWANDA

State: NY

ZIP: 14120-3036

Country: US

Phone: 716-695-2100

CAGE: 60226

Company Name: BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address: 1174 ERIE AVE

Box: 728

City: NORTH TONAWANDA

State: NY

ZIP: 14120-3036

Country: US

Phone:716-695-2100
CAGE:EO110

=====
Composition/Information on Ingredients
=====

Ingred Name:LITHIUM 12 HYDROXYSTEARATE
CAS:7620-77-1
Fraction by Wt: 12.0%
Other REC Limits:NONE SPECIFIED

Ingred Name:BARIUM DINONYLNAPHTHALENE SULFONATE
CAS:25619-56-1
Fraction by Wt: 1.0%
Other REC Limits:NONE SPECIFIED

Ingred Name:TRICRESYLPHOSPHATE
CAS:1330-78-5
RTECS #:TD0175000
Fraction by Wt: 3.0%
Other REC Limits:NONE SPECIFIED

Ingred Name:POLYALPHAOLEFIN BASE STOCK
CAS:68649-12-7
Fra
ction by Wt: 42.0%
Other REC Limits:NONE SPECIFIED

Ingred Name:ANTHRAQUINONE DYE (RED)
CAS:2379-79-5
Fraction by Wt: 0.1%
Other REC Limits:NONE SPECIFIED

Ingred Name:DIESTER FLUID
CAS:103-24-2
Fraction by Wt: 41.9%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards A

cute and Chronic:ACUTE: NO DATA AVAILABLE. CHRONIC:
MAY CAUSE SKIN AND EYES IRRITATION UPON REPEATED AND/OR PROLONGED CONTACT.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:INHALATION:NOT EXPECTED ROUTE OF ENTRY.UNDER HIGH TEMPERATURE CONDITIONS,VAPORS MAY IRRITATE NOSE AND THROAT. EYES:MAY CAUSE MILD IRRITATION ON CONTACT. SKIN:COMPONENTS ARE UNLIKELY TO BE ABSORBED THROUG SKIN.PROLONGED/REPEATED CONTACT MAY CAUSE DERMATITIS, F

OLLICULITIS OR OIL ACNE. INGESTION:NO SPECIFIC INFORMATION.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS REQUIRED. GET MEDICAL ADVICE.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:400F,204C

Autoignition Temp:Autoignition Temp Text:440 F

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. USE OF WATER MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. DO NOT USE WATER EXCEPT FOG.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS SUCH AS OXIDES OF SULFUR AND CARBON.

=====
===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMICULITE. SWEEP UP AND DISPOSE AS SOLID WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

=====

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED, LOW FIRE RISK AREA. KEEP CONTAINERS TIGHTLY CLOSED. PROTECT FROM PHYSICAL DAMAGE.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NORMALLY NOT NEEDED;USE AN ADEQUATE VENTILATION.

Ventilation:GENERAL TO MAINTAIN AN ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE, RUBBER OR ANY OIL RESISTANT.

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING, EYE-WASH, SAFETY SHOWER

Work Hygienic Practices:PRACTICE GENERAL INDUSTRIAL HYGIENE PRACTICE. KEEP AREA CLEAN. WASH THOROUGHLY AFTER EACH USE OR HANDLING. AVOID CONTACT.

Supplemental Safety and Health
NONE

=====
Physical/Chemical Properties
=====

HCC:V6

Boiling Pt: B.P. Text: 650F, 343C

Melt/Freeze Pt: M.P/F.P Text: 350F, 177C

Spec Gravity: 0.87

Solubility in Water: NEGLIGIBLE AT 25C

Appearance and Odor: LIGHT RED GREASE - BLAND.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS SUCH AS HYDROGEN PEROXIDE, BROMINE, AND CHROMIC ACID

Stability Cond

ition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION

Hazardous Decomposition Products:COMBUSTION WILL CAUSE OXIDES OF CARBON
AND SULFUR. MAY ALSO DECOMPOSES TO HYDROGEN SULFIDE DEPENDING UPON
THE TEMPERATUR

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED CONTAINERS PENDING DISPOSAL.
HANDLE AN DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided wit

h this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.