View NSN Online: https://aerobasegroup.ae/nsn/6525-01-180-3555

MICROCOPY-DIVISION OF NEO-FLO, INC. -- INSTA-NEG DEVELOPER -- 6525-01-180-3555

============= Product Identification ===============

Product ID: INSTA-NEG DEVELOPER

MSDS Date:01/20/1989

FSC:6525

NIIN:01-180-3555

MSDS Number: BHYDQ === Responsible Party ===

Company Name: MICROCOPY-DIVISION OF NEO-FLO, INC.

Address:3120 MOON STATION ROAD

Box:3047

City:KENNESAW

State:GA ZIP:30144 Country:US

Info Phone Num:404-425-5715

Em

ergency Phone Num:404-425-5715

CAGE:63763

=== Contractor Identification ===

Company Name: MICROCOPY-DIVISION OF NEO-FLO, INC.

Address:3120 MOON STATION ROAD

Box:City:KENNESAW

State:GA ZIP:30144 Country:US

Phone: 404-425-5715

CAGE:63763

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM HYDROXIDE (SARA III)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192

EPA Rpt Qty:1000 LBS

D

Ingred Name: INFORMATION WITHHELD AS A TRADE SECRET. Fraction by Wt: 95% Other REC Limits: NONE SPECIFIED ========== Hazards Identification ================= Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: SKIN IRRITATION, ALLERGIC REACTIONS, THROAT BURNS AND EYE IRRITATIONS. Explanation of Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IAR C, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: AGGRAVATION OF PRESENT SKIN CONDITION. First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. INCLUDING UNDER EYELIDS. SKIN: WASH AND RINSE WITH PLENTY OF WATER. USE NON-ALKALINE HAND CLEANER TO MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION. INGESTION: G IVE PLENTY OF WATER AND INDUCE VOMITING.GET MEDICA L ATTENTION. Flash Point Method:TCC Flash Point:>200F,>93C ========= Accidental Release Measures ============ Spill Release Procedures: NEUTRALIZE USING SODIUM BISULFATE AND MOP UP. IF ALLOWED BY LAW, FLUSH INTO SEWER WITH LARGE AMOUNTS OF WATER. Neutralizing Agent:SODIUM BISULFATE ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN DRY, WEL

OT Rpt Qty:1000 LBS

L VENTILATED AREA
SEPERATE FROM ACIDS. ABUNDANT WATER SUPPLY SHOULD BE NEARBY.
Other Precautions:NONE

========== Exposure Controls/Personal Protection ===========

Respiratory Protection:NOT NORMALLY REQUIRED.
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOM
MENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health

======== Physical/Chemical Properties ===========

AVOID PROLONGED OR REPEATED EXPOSURE.

HCC:B1

Boiling Pt:=101.1C, 214.F B.P. Text:214F,101C Vapor Pres:17

Vapor Pres:17 Vapor Density: