

CREST INDUSTRIAL CHEMICALS -- PAINT STRIPPER 7 (MIL-R-81294C) OR B -- 8010-00-926-1489

=====
Product Identification
=====

Product ID:PAINT STRIPPER 7 (MIL-R-81294C) OR B

MSDS Date:01/02/1988

FSC:8010

NIIN:00-926-1489

MSDS Number: BJDKD

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICALS

Address:6341 BEVERLY HILL

City:HOUSTON

State:TX

ZIP:77057

Country:US

Info Phone Num:713-780-1828

Emergency Phone Num:713-780-1828

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHRO

MATE (SARA III)
CAS:7775-11-3
RTECS #:GB2955000
OSHA PEL:0.1 PPM CRO3;CEILING
ACGIH TLV:0.05 MG CR/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:PHENOLIC BODIES
ACGIH TLV:5 PPM (SKIN)

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Explanation of Carcinogenicity:METHYLENE CHLORIDE AND CHROMATES ARE LISTED AS CARCINOGENS. BY OSHA.
Effects of Overexposure:IRRITATION OF NOSE AND EYES, SLIGHT NARCOSIS

=====
===== First Aid Measures =====

First Aid:SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH WITH WATER, OBTAIN MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NONE
Extinguishing Media:CARBON DIOXIDE OR CHEMICAL FOAM.
Fire Fighting Procedures:THERMAL DECOMPOSITION WILL PRODUCE TOXIC OXIDES OF CHLORINE, WEAR GAS MASKS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. MOP UP SPILLAGE AND DISPOSE OF I.A.W. LOCAL, STATE AND FEDERAL REGULATIONS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:TRANSPORT AND STORE IN CLOSED CONTAINERS AT TEMPERATURES UP TO 110 F.
Other Precautions:DO NOT STORE IN DIRECT RAYS OF SUN, OPEN CONTAINERS CAREFULLY TO AVOID BURSTING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FRESH AIR MASK.
Ventilation:USE LOCAL EXHAUST.
Protective Gloves:USE PROTECTIVE GLOVES.
Eye Protection:USE EYE PROTECTION.
Other Protective Equipment:USE SOLVENT RESISTANT APRONS.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

HCC:T3
Boiling Pt:B.P. Text:110 F
Melt/Freeze Pt:M.P/F.P Text:80%
Vapor Pres:350 MM
Vapor Density:>1 (AIR=1)
Spec Gravity:1.10 (H2O=1)
Evaporation Rate & Reference:>1 (BUTYL ACETATE=1)
So
lubility in Water:APPRECIABLE
Appearance and Odor:VISCOUS YELLOW LIQUID PHENOLIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZERS.
Hazardous Decomposition Products:THERMAL DECOMPOSITION WILL PRODUCE
TOXIC OXIDES OF CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods:TREAT FOR PHENOLIC BODIES AND CHROMATE. DISPOSE
OF I.A.W. LOCAL, STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
par

ticular situation.