

NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC -- AEROSOL BLUE 15080 --  
8010-00-721-9747

=====  
Product Identification  
=====

Product ID:AEROSOL BLUE 15080

MSDS Date:01/01/1987

FSC:8010

NIIN:00-721-9747

MSDS Number: BJDSV

=== Responsible Party ===

Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC

Address:2193 E. 14TH STREET

City:LOS ANGELES

State:CA

ZIP:90021

Country:US

Info Phone

Num:213-627-2668

Emergency Phone Num:213-627-2668

CAGE:59986

=== Contractor Identification ===

Company Name:GROW GROUP INC DEVOE AND REYNOLDS CO DIV

Address:4000 DUPONT CIRCLE

Box:City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Phone:502-361-2536

CAGE:97758

Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC

Address:2193 E 14TH STREET

Box:City:LOS ANGELES

State:CA

ZIP:90021-2843

Country:US

CAGE:59986

=====  
Composition/Information on Ingredients  
=====

Ingred Nam

e:VINYL TOLUENE ALKYD

Ingred Name:PIGMENTS AND BINDERS

Ingred Name:ALIPHATIC HYDROCARBONS

Fraction by Wt: 26.0%

ACGIH TLV:400 PPM

Ingred Name:CHLORINATED HYDROCARBONS

Fraction by Wt: 34.0%

ACGIH TLV:200 PPM

Ingred Name:ISOBUTANE-PROPANE

Fraction by Wt: 30.0%

ACGIH TLV:800 PPM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:INGESTION: NAUSEA. EYES: IRRITATION.  
INHALATION: ANESTHETIC AND SKIN: MINOR IRRITATION.  
Effects of Overexposure:INGESTION: NAUSEA. EYES: IRRITATION.  
INHALATION: ANESTHETIC AND SKIN: MINOR IRRITATION.

=====  
===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL  
ATTENTION. EYES: FLUSH WITH WATER FOR MINIMUM OF 5 MINUTES.  
INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. GIVE  
MOUTH-TO-MOUTH RESUCITATION IF BREATHING STOPS. AND SKIN: WASH  
WITH WATER, SEEK  
MEDICAL HELP.

=====  
===== Fire Fighting Measures =====

Flash Point:NR  
Extinguishing Media:WATER FOG, STANDARD FOAM, CO2, DRY CHEMICAL AND  
HALON.  
Fire Fighting Procedures:TEMPS >120F MAY CAUSE BURST/VENTING. KEEP  
CONTAINERS COOL. USE EQUIP/SHIELD TO PROTECT PERSONNEL AGAINST  
BURST/VENTING CONTAINERS. DO NOT PUNCTURE OR INCINERATE  
Unusual Fire/Explosion Hazard:DO NOT USE NEAR OPEN FLAME, FIRE OR WHILE  
SMOKING.

=====  
===== Accidental Release M

asures =====

Spill Release Procedures:MOP UP, SOAK UP OR WIPE UP IMMEDIATELY.  
PROVIDE VENTILATION.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE WHERE TEMPERATURE COULD  
EXCEED 120F.  
Other Precautions:USE AND FOLLOW LABEL DIRECTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ADEQUATE VENTILATION IS REQUIRED.  
Ventilation:RECOMMENDED. LOCAL EXHAUST IS ADEQ  
UATE.  
Protective Gloves:REQUIRED FOR PROLONGED CONTACT.  
Eye Protection:SOLVENT RESISTANT.  
Other Protective Equipment:NORMAL PROTECTIVE CLOTHING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3  
Vapor Pres:40-50 @70F  
Vapor Density:> (AIR=1)  
Spec Gravity:0.976 (H2O=1)  
Solubility in Water:SLIGHT  
Appearance and Odor:PAINT/SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Condition to Avoid:DO NOT  
STORE ABOVE 120 F(49C).

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE "EMPTY" OR FULL  
CANS. ONCE SPILLS OR LEAKS ARE CLEANED UP. DISPOSE OF WASTE IN  
ACCORDANCE WITH GOVERNMENTAL ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.