

NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC -- MMM-A-1058A ADHESIVE,
PC-NAPCO -- 8040-00-938-6860

===== Product Identification =====

Product ID:MMM-A-1058A ADHESIVE, PC-NAPCO

MSDS Date:01/01/1987

FSC:8040

NIIN:00-938-6860

MSDS Number: BJDTL

=== Responsible Party ===

Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC

Address:2193 E. 14TH STREET

City:LOS ANGELES

State:CA

ZIP:900

21

Country:US

Info Phone Num:213-627-2668

Emergency Phone Num:213-627-2668

CAGE:59986

=== Contractor Identification ===

Company Name:GROW GROUP INC DEVOE AND REYNOLDS CO DIV

Address:4000 DUPONT CIRCLE

Box:City:LOUISVILLE

State:KY

ZIP:40207-4802

Country:US

Phone:502-361-2536

CAGE:97758

Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC

Address:2193 E 14TH STREET

Box:City:LOS ANGELES

State:CA

ZIP:90021-2843

Country:US

CAGE:59986

===== Composition/Information on Ingredients

=====

Ingred Name:SBR RUBBER, RESIN
Fraction by Wt: 20%
ACGIH TLV:1000 PPM

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 57%
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:CHLORINATED SOLVENTS
Fraction by Wt: 3%
ACGIH TLV:200 PPM

Ingred Name:ISOBUTANE-PROPANE
Fraction by Wt: 20%
ACGIH TLV:800 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INGESTION: NAUSEA. EYES: IRRITATION.
INHALATION: ANESTHETIC. AND SKIN: MINOR IRRITATION.

Effects of Overexposure:INGESTION: NAUSEA. EYES: IRRITATION.
INHALATION: ANESTHETIC. AND SKIN: MINOR IRRITATION.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING, GET IMMEDIATE MEDICAL
ATTENTION. EYES: FLUSH WITH WATER FOR MINIMUM OF 5 MINUTES.

INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. GIVE

MOUTH-TO-MOUTH RESUCITATION IF BREATHING STOPS. SKIN: WASH WITH
WATER AND SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point:NR

Extinguishing Media:WATER FOG, STANDARD FOAM, CO2, DRY CHEMICAL AND
HALON.

Fire Fighting Procedures:TEMPS >120F MAY CAUSE BURST/VENTING. KEEP
CONTAINER COOL. USE EQUIP/SHIELDING TO PROTECT PERSONNEL AGAINST
BURST/VENTING CONTAINERS. DO NOT PUNCTURE/INCINERATE.

===== Accid

ental Release Measures =====

Spill Release Procedures:MOP UP, SOAK UP OR WIPE UP IMMEDIATELY.
PROVIDE VENTILATION. DISPOSE.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE WHERE TEMPERATURE COULD
EXCEED 120F.
Other Precautions:USE AND FOLLOW LABEL DIRECTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ADEQUATE VENTILATION IS REQUIRED.
Ventilation:RECOMMENDE
D. LOCAL EXHAUST IS ADEQUATE.
Protective Gloves:REQUIRED FOR PROLONGED CONTACT.
Eye Protection:SOLVENT RESISTANT.
Other Protective Equipment:NORMAL PROTECTIVE CLOTHING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:40-50 @70F
Vapor Density:> THAN AIR
Spec Gravity:0.796 (H2O=1)
Evaporation Rate & Reference:> (H2O=1)
Solubility in Water:INSOLUBLE
Appearance and Odor:SOLVENT ODOR.

===== Stability and Reactivity Dat
a =====

Stability Condition to Avoid:DO NOT STORE ABOVE 120F(49C).

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE "EMPTY" OR FULL
CANS. ONCE SPILLS OR LEAKS ARE CLEANED UP. DISPOSE OF WASTE IN
ACCORDANCE WITH GOVERNMENTAL ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United

States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.