View NSN Online: https://aerobasegroup.ae/nsn/6850-01-263-2261

Product ID:P-134D DYE PENETRANT-FLUORESCENT (SEE SUPP) MSDS Date:04/17/1986 FSC:6850 NIIN:01-263-2261 MSDS Number: BJDVX === Responsible Party === Company Name: ARDROX INC Address:16961 KNOTT AVE **City:LA MIRADA** State:CA ZIP:90638-6015 Country:US Info Phone Num:714-739-2821 **Emergency Phon** e Num:714-739-2821/800-424-9300(CHEMTREC) Preparer's Name: ABAYOMI I. OWEI CAGE:23373 === Contractor Identification === Company Name: BRENT AMERICA, INC. Address:16961 KNOTT AVE. Box:City:LA MIRADA State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:23373 

Ingred Name:DIISODECYL PHTHALATE CAS:26761-40-0 RTECS #:TI1270000 Fraction by Wt: >5% Other REC Limits:NONE SPECIFIED

=================== Hazards Identification =

\_\_\_\_\_

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE EFFECTS-LOW LEVELS OF TOXICITY AND IRRITATION. CHRONIC EFFECTS-UNKNOWN. Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS

LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES/SKIN: MAY CAUSE IRRITATION. INHALED: MAY CAUSE MINOR IRRITATION. INGESTED: MAY CAUSE UPSET STOMACH.

Medical Cond Aggravated by Exposure:SKIN DISEASES COULD BE AGGRAVATED BY REPEATED EXPOSURE.

First Aid:FIRST AID-EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER FOR 15 MINUTES. SEE DOCTOR. INHALATION: REMOVE TO FRESH AI R. INGESTION: INDUCE VOMITING IMMEDIATELY BY GIVING 1-2 GLASSES OF WATER & STICKING FINGER DOWN THROAT, TH EN GIVE 2-3

TABLESPOONS OF MILK OF MAGNESIA OR STRONG TEA WITH TOAST. SEE DOCTOR IMMEDIATELY.

Flash Point Method:PMCC Flash Point:200F,93C

Extinguishing Media:USE WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL.

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE-EXPOSED SURFACES & PROTECT PERSONNEL. WEAR SELF-CONTAINED BREATHING APPARATUS AND TREAT AS CHEMICAL FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures: REMOVE EMPLOYEES. SHUT OFF SOURCE. PREVENT LIQUID FROM ENTERING SEWER OR WATER COURSES. CLEAN-UP PERSONNEL SHOULD WEAR PROPER PROTECTIVE EQUIPMENT. USE ABSORBENT MATERIAL TO REMOVE SPILL. ADVISE LOCAL AUTHORITIES IF MATERIAL ENTERS SEWER OR SOIL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORAGE-STORE IN COOL, DRY PLACE. STORE AEROSOLS OUT OF DIRECT SUNLIGHT. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED UNLESS IN HEATED APPLICATION.
Ventilation:GENERAL ROOM VENTILATION IS SATISFACTORY
Protective Gloves:NEOPRENE OR PLASTIC GLOVES
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE BATH AND SAFE
TY SHOWER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.
Supplemental Safety and Health
PRODUCT UNDER THE FOLLOWING P/N IND: A, B, C, OR D ARE LISTED IN QPL-25135-15 UNDER TYPE 1, METHOD A, LEVEL 2 OF MIL-1-25135.(P/N IND A: P-134D; P/N IND B: 970-P23; P/N IND C: BIO-PEN P6F2; D: TRACER- TECH P-133A.)

HCC:N1 Boiling Pt:B.P. Text:>240F,>116C Spec Gravity:0.871 Evaporation Rate & amp; Reference: