

WHITTAKER COATINGS -- SEALER SURFACE FLOOR WATER EMULSION -- 8010-00-530-8371

===== Product Identification =====

Product ID:SEALER SURFACE FLOOR WATER EMULSION

MSDS Date:02/25/1988

FSC:8010

NIIN:00-530-8371

MSDS Number: BJFXP

=== Responsible Party ===

Company Name:WHITTAKER COATINGS

Address:1675 COMMERCIAL ST NE

City:SALEM

State:OR

ZIP:97303

Country:US

Info Phone Num:503-364-2277

Emergency Phone

Num:503-364-2277

Preparer's Name:P.H. PAYNE

CAGE:DO758

=== Contractor Identification ===

Company Name:NORRIS PAINT CO., DIV WHITTAKER COATINGS

Address:1675 COMMERCIAL ST NE

Box:2023

City:SALEM

State:OR

ZIP:97308

Country:US

Phone:503-364-2277

CAGE:33148

Company Name:WHITTAKER COATINGS, NORRIS COATINGS DIV.

Address:1675 COMMERCIAL STREET N.E.

Box:2023

City:SALEM

State:OR

ZIP:97303

Phone:MED 503-364-2277/TRAN 503-364-2277

CAGE:DO758

===== Composition/Information on Ingredients =====

===

Ingred Name:ACRYLIC POLYMER
CAS:9003-01-4
RTECS #:AT4680000
Other REC Limits:NONE SPECIFIED

Ingred Name:WATER (VAPOR PRESSURE 23.60 @ 0F)
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE SPECIFIED

Ingred Name:ETHYLENE GLYCOL (SARA III)
CAS:107-21-1
RTECS #:KW2975000
Other REC Limits:NONE SPECIFIED
OSHA PEL:C 50 PPM
ACGIH TLV:C 50 PPM,VAPOR; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:VOC THEORETICAL 0.76
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====

= Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:RECURRENT OVEREXPOSURE MAY RESULT IN LIVER AND KIDNEY INJURY.
Effects of Overexposure:EYES: IRRITATION OR BURNING, TEARING, BLURRED VISION. SKIN: IRRITATION W/DISCOMFORT & DERMATITIS. CAN BE ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS. INHALED: IRRITATION OF MUCOUS MEMBRANES, DIZZINESS, H EADACHE, NAUSEA & LOSS OF CONSCIOUSNESS.
INGESTION: G
ASTROINTESTINAL DISTRESS.
Medical Cond Aggravated by Exposure:MAY CAUSE LIVER AND KIDNEY INJURY

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS., CALL PHYSICIAN. SKIN: WASH W/SOAP & WATER, IF IRRITATION OCCURS, CONSULT PHYSICIAN. INHALED: REMOVE TO FRESH AIR. RESTORE BREATHING, BY ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULTYPERSISTS OR OCCURS LATER, CONSULT PHYSICIAN. INGESTION: IMMEDIATELY

& HAVE NAMES OF
INGREDIENTS AVAILABLE.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:200F/93C

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT WITH SCBA. WATER
FROM FOG NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT
PRESSURE BUILD UP.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedu

res:REMOVE SOURCES OF IGNITION. PREVENT SKIN

CONTACT & BREATHING OF VAPORS. CONFINE & REMOVE WITH INERT
ABSORBENT. VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & FLAME.
CLOSE CONTAINER AFTER USE. DO NOT STORE ABOVE 120F. GROUND
CONTAINERS WHEN POURING. OBSERVE LABEL PRECAUTIONS.

Other Precautions:DO NOT SAND, FLAME CUT, BRAZE OR WELD DRY COATING
WITHOUT A NIOSH/MSHA APPROVED
RESPIRATOR OR APPROPRIATE
VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A PROPERLY FITTED VAPOR/PARTICULATE
RESPIRATOR APPROVED BY NIOSH/MSHA TC23C.

Ventilation:PROVIDE SUFFICIENT VENTILATION

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES/GOGGLES W/SIDE SHIELDS

Other Protective Equipment:COVERALLS

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING OR SMOKING

Supplemental Safety and Health

DO NOT USE PROTECTIVE CREAMS FOR SKIN PROTECTION. CREAM MAY BE USED FOR EASE OF CLEAN UP.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:100F,38C
Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C
Vapor Pres:17
Vapor Density:71
Spec Gravity:1.02
pH:9
Solubility in Water:COMPLETE
Appearance and Odor:MILKY LIQUID SLIGHT AMMONIA ODOR
Percent Volatiles by Volume:85.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Hazardous Decomposition Products:CO, CO2, SMOKE, OXIDES OF HEAVY METALS

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE IN CLOSED CONTAINERS. DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND WATER SYSTEMS. SEND TO A HAZARDOUS WASTE WATER TREATMENT PLANT OR INCINERATE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.