

EASTMAN KODAK CO -- 1230432 KODAK EKTACOLOR RA DEV/REPL, ALT 1 -- 6750-01-354-1029  
===== Product Identification =====

Product ID:1230432 KODAK EKTACOLOR RA DEV/REPL, ALT 1

MSDS Date:06/14/1987

FSC:6750

NIIN:01-354-1029

MSDS Number: BJHRQ

=== Responsible Party ===

Company Name:EASTMAN KODAK CO

Address:343 STATE ST

City:ROCHESTER

State:NY

ZIP:14650

Info Phone Num:(716) 722-5151

Emergency Phone Num:(

716) 722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:WATER, H2O

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 60-65%

Ingred Name:LITHIUM SULFATE

Fraction by Wt: 5-10%

Ingred Name:POTASSIUM SULFITE

CAS:10117-38-1

RTECS #:WT353000

0

Fraction by Wt: 1-5%

Ingred

Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA  
MINE SESQUISULFATE MONOHYDRATE

RTECS #:PB4310000

Fraction by Wt: 15-20%

Ingred Name:SULFUR DIOXIDE (SARA III)

CAS:7446-09-5

RTECS #:WS4550000

Other REC Limits:2 PPM

OSHA PEL:5 PPM/5 STEL

ACGIH TLV:2 PPM/5 STEL; 9293

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OS

HA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION &  
ALLERGIC REACTION. INHALATION: UPPER RESPIRATORY TRACT IRRITATION.  
INGESTION: HARMFUL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION & ALLERGIC  
REACTION. INHALATION: UPPER RESPIRATORY TRACT IRRITATION.  
INGESTION: HARMFUL.

Medical Cond Aggravated by Exposure:ALLERGIC REACTION

=====  
First Aid Measures  
=====

First Aid:IN

HALATION: REMOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET  
MED ATT. EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. GET  
MED ATT. SKIN: FLUSH W/PLENTY OF WATER & WASH W/NON-ALKALINE ACID  
TYPE OF C LEANSER. GET MED ATT. INGESTION: IF CONSCIOUS, RINSE  
MOUTH/INDUCE VOMITING BY GIVING 1 OR 2 GLASSES OF WATER/SYRUP OF  
IPECAC. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. CALL  
PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point:

NONE

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CO2, FOAM

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:FIRE & EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER W/LARGE AMOUNTS OF WATER. NEUTRALIZE W/BAKING SODA, SODIUM BICARBONATE.

Neutralizing Agent:BAKING SODA, SODIUM BI CARBONATE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM CONTACT W/OXIDIZING MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. AVOID BREATHING & CONTACT W/EYES/SKIN/CLOTHING. USE W/ADEQUATE VENTILATION.

Other Precautions:THE DIRECT INSTANTANEOUS DISCHARGE TO RECEIVING BODY OF WATER OF AN AMOUNT OF THIS FORMULATION WHICH WILL RAPIDLY PRODUCE, BY DILUTION, A FINAL CONCENTRATION OF 0.15 MG/L OR LESS. ISN'T EXPECTED TO CAUSE AN ADVERSE ENVIRONMENTAL EFFECT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A NIOSH-APPROVED ACID GAS RESPIRATOR SHOULD BE WORN IF NEEDED.

Ventilation:MECHANICAL: TYPICALLY 10 ROOM VOLUMES PER HOUR IS CONSIDERED GOOD GENERAL VENTILATION. LOCAL EXHAUST: TO KEEP