View NSN Online: https://aerobasegroup.ae/nsn/6850-01-213-1235

W R GRACE & CO. DAVISON CHEMICAL DIVISION -- DAVISON BLUE INDICATING GEL GR 13,42,43,44 -- 6850-01-213-1235

Product ID:DAVISON BLUE INDICATING GEL GR 13,42,43,44

MSDS Date:01/01/1990

FSC:6850

NIIN:01-213-1235

MSDS Number: BJJJR

=== Responsible Party ===

Company Name:W R GRACE & CO. DAVISON CHEMICAL DIVISION

Address:10 E BALTIMORE STREET

Box:2117

City:BALTIMORE

St

ate:MD

ZIP:21202-1630

Country:US

Info Phone Num:301-659-9000

Emergency Phone Num:301-659-9058

CAGE:16210

=== Contractor Identification ===

Company Name: SUD-CHEMIE INC/SUB CHEMIE PERFORMANCE PACKAGING DIV

Address: 926 SOUTH 8TH ST (FORMALLY HUMIDIAL)

Box:610

City:COLTON

State:CA

ZIP:92324-0610

Country:US

Phone:909-825-1793

CAGE:00334

Company Name: WR GRACE & CO. DAVISON CHEMICAL DIVISION

Address: 10 E BALTIMORE STREET

Box:2117

City:BALTIMORE

State:MD

ZIP:21202-1630

Country:US

Phone:410-659-9000

CAG

====== Composition/Information on Ingredients ========

Ingred Name: SILICA GEL

CAS:112926-00-8 RTECS #:VV7322000

OSHA PEL:6 MG/M3 T DUST

ACGIH TLV:10 MG/M3

Ingred Name: COBALT CHLORIDE

CAS:7646-79-9

RTECS #:GF9800000

========= Hazards Identification =============

LD50 LC50 Mixture: SEE SUPP DATA

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:AVOID PROLONGED

BREATHING OF DUST OR

CONTACT OF DUST W/THE SKIN.THE DRYING ACTION OF THIS MATERIAL CAN CAUSE IRRIT OF THE MUCOUS MEMBRANES OF THE NOSE AND THROAT AND IRRIT OF THE SKIN.COBALT CHLORIDE IS CONSIDERED GRAS (GEN RECOGNIZED AS SAFE)AS A TRACE MINERAL ADDED TO ANIMAL FEEDS (APPROX 10 PPM)(SEE EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure:HLTH HAZ:BY FDA.SILICA GEL IS A SYNTHETIC AMORPHOUS SILICA NOT TO BE CONFUSED WITH CRYSTALLINE SIL

ICA.EPIDEMIOLOGICAL STUDIES INDICATE LOW POTENTIAL FOR ADVERSE HEALTH EFFECTS.

Medical Cond Aggravated by Exposure: NONE KNOWN BY MANUFACTURER.

First Aid:EYES:IMMED WASH FROM EYES WITH LARGE AMTS OF WATER,OCCASIONALLY LIFTING THE UPPER AND LOWER EYE LIDS. IF IRRITATION OCCURS AND PERSISTS, GET MD.SKIN: WASH WITH SOAP AND WATER.INGEST:MATERIAL WILL PASS THROUGH THE BODY NORMALLY.INHAL: REMOVE TO FRESH AIR.

======================================
Flash Point:NONFLAMMABLE Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NON-FLAMMABLE.
========== Accidental Release Measures =============
Spill Release Procedures:SWEEP OR VACUUM UP. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions :KEEP TIGHTLY SEALED TO PROTECT QUALITY.WEAR LONG SLEEVES AND CLOSE-WEAVE COTTON GLOVES W/TIGHT-FITTING WRISTLETS. Other Precautions:WHEN POURING INTO CONTAINER OF FLAMMABLE LIQUID,GROUND BOTH CONTAINERS ELECTRICALLY TO PREVENT A STATIC ELECTRIC SPARK.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH/MSHA APPROVED DUST RESPIRATOR IF DUSTY CONDITIONS PREVAIL. Ventilation:NONE SPECIFIED BY MANUFACTURER.CONSULT LOCAL SAFETY/H EALTH AUTHORITIES IF ADDITIONAL GUIDANCE IS NECESSARY. Protective Gloves:CLOSE-WEAVE COTTON GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES Other Protective Equipment:TIGHT FITTING WRISTLETS ON GLOVES AND LONG SLEEVES. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health SOL IN H*2O:SILICA GEL BASE INSOLUBLE,COBALT CHLORIDE MAY LEACH OUT.LD50-LC50 MIX:LD50 (ORAL)EST.>31,600 MG/KG (RAT),LD50 (DERMAL) EST.>2000 MG/KG (RABBIT).CONSIDERED AN OCULOR IRRITANT. PH: IN 5% SLU RRY-APPROX 6.5 - 7.5.
========== Physical/Chemical Properties ============
Spec Gravity:2.1 pH:SUPDAT Solubility in Water:SEE SUPP DATA Appearance and Odor:NO ODOR, CLEAR BLUE GRANULES ====================================
Stability Indicator/Materials to Avoid:YES REACTS WITH HF. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

=========

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN AN APPROVED LANDFILL ACCORDING TO FEDERAL, LOCAL AND STATE REGULATIONS.COVER PROMPTLY TO AVOID BLOWING OF DUST.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims

all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.