

GENERAL ELECTRIC CO SILICONE PRODUCT DIV. -- SF 97-50 -- 6850-00-970-5214

===== Product Identification =====

Product ID:SF 97-50

MSDS Date:10/25/1988

FSC:6850

NIIN:00-970-5214

MSDS Number: BJMGK

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO SILICONE PRODUCT DIV.

Address:HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-

237-3330

Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:KEYSTONE RUSTPROOFING INC

Address:1910 DR THOMAS BLVD

Box:City:ARNOLD

State:PA

ZIP:15068-4306

Country:US

Phone:412-339-7588

CAGE:28613

Company Name:THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPH

IA
State:PA
ZIP:19124-3893
Country:US
Phone:215-743-8200
CAGE:2B613

=====
Composition/Information on Ingredients
=====

Ingred Name:DIMETHYL POLYSILOXANE
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >40,000 MG/KG
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:EYE:MAY BE MILDLY
IRRITATING.SKIN/INHALATION/INGESTION:NONE KNOWN.CHRONIC-NONE KNOWN
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:MAY CAUSE MILD EYE IRRITATION. NON-IRRITATING
TO SKIN (RBT). INGESTION/INHALATION:NONE KNOWN.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:INHALATION:NONE KNOWN.EYE:FLUSH WITH WATER FOR 15 MINUTES
WHILE HOLDING EYELIDS OPEN.GET MEDICAL ATTENTION IF IRRITATION
PERSISTS.SKIN:WASH WITH SOAP & WATER.INGESTION:NONE KNOWN.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:453F,234C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED

ED TO FIRE.

Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE:NONE KNOWN.

Other Precauti

ons:DO NOT GET IN EYES.WASH HANDS WITH SOAP & WATER BEFORE EATING, DRINKING OR USING TOILET FACILITIES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE KNOWN

Ventilation:NONE KNOWN

Protective Gloves:NONE KNOWN

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWE

AR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F,>204C

Vapor Pres:NEGL.

Spec Gravity:0.963

Evaporation Rate & Reference: