

DOW CORNING CORP -- SILASTIC 732 RTV SEALANT-CLEAR -- 8030-00-538-5212

=====
Product Identification
=====

Product ID:SILASTIC 732 RTV SEALANT-CLEAR

MSDS Date:11/07/1985

FSC:8030

NIIN:00-538-5212

MSDS Number: BJMYX

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-496-4000

Emergency Phone Nu

m:517-496-5900

Preparer's Name:JACK L SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:ESSEX GROUP INC

Address:1601 WALL ST

Box:1601

City:FORT WAYNE

State:IN

ZIP:46801-1601

Country:US

Phone:2

19-461-4000
CAGE:72983

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETOXYSILANE. TLV/PEL BASED ON ACETIC ACID (MFR).
Fraction by Wt: 5%
OSHA PEL:10 PPM
ACGIH TLV:10 PPM; 15 PPM STEL

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY IRRIT W/
SLIGHT PAIN,REDNESS &
POSS MINOR CORNEAL INJURY.SKIN:A SINGLE EXPOS FOR SEVERAL HOURS MAY
CAUSE SLIGHT REDDENING.LONGER/RPTD CONTACT MAY CAUSE MOD IRRIT &
POSS A MILD BURN. INHAL: NO E FTS EXCEPT VERY SLIGHT IRRIT/PAIN TO
THE EYE OR RESP PASSAGES. INGEST: AMTS TRANSFERRED TO THE (SEE SIGN
& SYMP)
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ: MOUTH BY FINGERS, ETC, DURING NORMAL
OPERATIONS SHOULD NOT CAUSE INJURY. SWALLOWING SUBSTANTIAL AMTS
MAY
CAUSE SOME INJURY. COMMENT: NO KNOWN AVERSE CHRONIC HLTH EFTS, BUT
UNNECESSARY EXPOS SHOULD BE AVOIDED. THIS PROD MAY ENHANCE
ALLERGIC CONDITIONS ON CERTAIN PEOPLE.
Medical Cond Aggravated by Exposure:NONE KNOWN TO MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MD IMMED. SKIN:
WIPE OFF AND FLUSH WITH WATER. INHAL: REMOVE TO FRESH AIR. GET MD
IMMED. INGEST: GET MD IMMED.

=====
Fire Fighting Measures
=====

Flash Point Method:OC
Flash Point:>250F,>121C
Extinguishing Media:WATER FOG, CO*2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRES.
Unusual Fire/Explosion Hazard:NOT KNOWN TO MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE PRODUCT AND USE ABSORBENT MATERIAL TO
TAKE CARE OF ANY

