

BOLT INC -- DAMPING FLUID,SILICONE BASE -- 9150-00-269-8246

=====
Product Identification
=====

Product ID:DAMPING FLUID,SILICONE BASE

MSDS Date:06/01/1988

FSC:9150

NIIN:00-269-8246

MSDS Number: BJKR

=== Responsible Party ===

Company Name:BOLT INC

Box:1208

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Info Phone Num:207-883-5541

Emergency Phone Num:207-883-5541

Preparer's Name:N.J.HILL

CAGE:0DR3

0

=== Contractor Identification ===

Company Name:BOLT INC

Box:1208

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541,CHEMTREC 800-424-9300

CAGE:0DR30

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICON FLUID(POLYDIMETHYLSILOXANE)

CAS:63148-62-9

Other REC Limits:NONE SPECIFIED

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixt

ure:ORAL LD50=5G/KG RAT

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:MAY CAUSE SLIGHTY IRRITATION OF EYES,SKIN,RESPIRATORY OR G.I.TRACT.NO OTHER DATA.

Explanation of Carcinogenicity:DATA PER MGF MSDS.

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

=====
===== First Aid Measures =====
=====

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:OC

Flash Point:>275F,>135C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:WASH THOROUGHLY AFTER EACH USE.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection:NONE REQIORED UNDER NORMALY USE.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES,S

AFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT
EAT,DRINK,SMOKE.

Supplemental Safety and Health
USE AS DIRECTED.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>572F,>300C

Melt/Freeze Pt:M.P/F.P Text: