

CLIFTON ADHESIVE INC -- FA-1030 ACCELERATOR -- 8040-00-515-2246

=====
Product Identification
=====

Product ID:FA-1030 ACCELERATOR

MSDS Date:01/16/1989

FSC:8040

NIIN:00-515-2246

Kit Part:Y

MSDS Number: BJQCK

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PLACE

City:WAYNE

State:NJ

ZIP:07474-0832

Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAG

E:79833

=== Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 76%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:T

RIMENE BASE
CAS:63512-71-0
Fraction by Wt: 24%
Other REC Limits:IRRITANT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NAUSEA AND/OR NARCOSIS. MAY DAMAGE LIVER.
Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. CAN ALSO CAUSE SKIN DRYNESS AND CRACKING. CAN CAUSE BLINDNESS.
Medical Cond Aggravated by Exposure :RESPIRATORY AILMENTS AND LIVER AILMENTS.

=====
First Aid Measures
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION.
EYES:FLUSH ABUNDENTLY WITH CLEAN WATER AND REFER TO PHYSICIAN.
INGESTION:INDUCE VOMITING. REFER TO PHYSICIAN. EXCESSIVE
INHALATION:REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. REFER TO PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:54F/12C
Lower Limits:5.5
Upper Limits:36.5
Extinguishing Media:CO2, FOAM AND DRY CHEMICAL
Fire Fighting Procedures:NIOSH/MSHA APPROVED SCBA SHOULD BE WORN.USE WATER SPRAY TO COOL FIRE EXPOSED STRUCTURES AND DISPERSE VAPOR CLOUD IF FIRE IS NOT PRESENT.
Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASHBACK.

=====
Accidental Release Measures
=====

S

Spill Release Procedures: ABSORB SPILL IN SAND, EARTH, VERMICULITE,
OIL-DRI OR SOL-SPEED-DRI. SHOVEL ABSORBED MATERIAL INTO STEEL
CONTAINER AND COVER.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN APPROVED SOLVENT STORAGE
AREA. KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT, OPEN FLAMES,
SPARKS, HOT SURFACES AND OXIDIZING AGENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: U

USE NIOSH-APPROVED ATMOSPHERE SUPPLYING OR AIR
PURIFYING RESPIRATOR FOR ORGANIC VAPORS AS REQUIRED TO MAINTAIN
EXPOSURE LEVELS BELOW RECOMMENDED LIMITS.

Ventilation: LOCAL: REMOVE VAPORS DURING
PROCESSING. MECHANICAL: EXPLOSION-PROOF EQUIP. SPECIAL: REDUCE VAPOR
CONCENTRATIONS BELOW LIMITS.

Protective Gloves: PVA GLOVES

Eye Protection: GOGGLES

Other Protective Equipment: PROTECTIVE CLOTHING AS REQUIRED TO PREVENT
SKIN CONTACT.

Work Hygienic Practices: KEEP AREA CLEAN. CLEAN UP SPILLS IM
MEDIATELY.

PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

EXPOSURE LIMITS ARE FOR AIR LEVELS ONLY. WHEN SKIN CONTACT OCCURS,
OVEREXPOSURE MAY RESULT THOUGH AIR LEVELS ARE LESS THAN LIMITS
TESTED.

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 147F, 64C

Vapor Pres: 97.7 @ 68F

Vapor Density: 1.11

Spec Gravity: 0.851

Appearance and Odor: AMBER, PUNGENT ALCOHOLIC ODOR

===== Stability and Reactivity Data =====

===

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: AVOID HEAT, OPEN FLAMES, SPARKS AND HOT SURFACES.

Hazardous Decomposition Products: AMMONIA AND HYDROGEN CHLORIDE

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL CHEMICAL AND SOLVENT WASTE DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.