View NSN Online: https://aerobasegroup.com/nsn/8010-00-139-3661

Product ID:HI TEMP PRIMER ACTIVATOR 910X357

MSDS Date:04/17/1990

FSC:8010

NIIN:00-139-3661

Kit Part:Y

MSDS Number: BJQLZ === Responsible Party === Company Name: DESOTO, INC.

Address:1700 S. MOUNT PROSPECT

Box:5030

City:DES PLAINES

State:IL ZIP:60017 Country:US

Info Phone Num:708-391-9000

Emergen

cy Phone Num:708-391-9000/800-424-9300

CAGE:32758

=== Contractor Identification ===
Company Name: DESOTO INC
Address: 1700 S MT PROSPECT RD

City:DES PLAINES

State:IL

ZIP:60018-1804 Country:US

Phone:708-391-9000

CAGE:62758

Company Name: DESOTO, INC.

Box:5030 CAGE:32758

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 30%

OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS

DOT Rpt Qt

y:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 50%

OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: ALIPHATIC AMINE

Fraction by Wt: 15%

Ingred Name: VOC: 703 GRAMS/LITER

RTECS #:9999999VO

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INHALE: NASAL/RSPRTRY IRRIT, ACUTE CENTRAL NERV SYST DEPRESS. ASPHYXIATIO

N. SKIN: IRRIT, DEFATTING,

DERMATITIS. EYE: IRRIT. INGEST: GASTROINTEST IRRIT. ASPIRATION MAT'L INTO LUNGS-CHEM PNEUMONITIS, PO SS FATAL. REPORTS ASSOC REPEAT/PROLONG OCCUPATIONAL OVEREXPOSURE TO SOLVENTS W/PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE.


Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION OR UNCONSCIOUSNESS. INGESTION: NAUSEA, VOMITING, DIARRHEA. EFFECTS INCLUDE CONCENTRATION DIFFICULTIES, DIMINISHED MANUAL DEXTERITY AND MEMOR Y

LOSS. AVOID PROLONGED AND REPEATED

CONTACT WITH THIS PRODUCT. SKIN: BURNS AND SKIN SENSITIZATION. EYE: POSSIBLE BURNS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN, LUNG AND EYE CONDITIONS.

First Aid:INHALATION: REMOVE TO FRESH AIR FROM EXPOSURE. GIVE CPR IF REQUIRED. IF BREATHING DIFFICULT, GIVE OXYGEN. KEEP WARM & QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREAS W/SOAP & WATER. DO NO



====== Exposure Controls/Personal Protection ========

Respiratory Protection: IN AREAS WHERE TLV'S EXCEED OR SPRAY MIST IS PRESENT, USE NIOSH/MSHA APPROVED RESPIRATORY PROTECTION APPROPRIATE FOR INDICATED COMPONENTS. IN CONFINED AREAS USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIR ATORS. FOLLOW MANUFACTURER'S DIREC

TIONS.

Ventilation:LOCAL EXHST VENT TO KEEP HAZ INGRED LEV BELOW TLV/PEL LIMIT. IF EMPLOYEES NOT EXPOS, KEEP LEV BELOW 25% OF LEL.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES

Other Protective Equipment: AVOID SKIN CONTACT-USE OTHER PROTECTIVE CLOTHING. A SAFETY SHOWER, AN EYE BATH, WASHING FACILITIES SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

UNAUTHOR

IZED RELEASE TO ENVIRON MAY BE REPORTABLE UNDER FED LAW TO THE NATIONAL RESPONSE CTR. STATE/LOCAL GOVERNMENTAL AGENCIES MAY ALSO HAVE REPORTING REQUIREMENTS OF WHICH YOU SHOULD BE AWARE. VAPOR S ARE HEAVIER THAN AIR & MAY COLLECT INLOW/CONFINED AREAS. DON'T ENTER SUCH AREAS WITHOUT FOLLOWING APPROP PROCEDURES.

======== Physical/Chemical Properties ==========

Boiling Pt:B.P. Text:180 TO 232F

Vapor Density:> AIR Spec Gravity:.84

Evaporation Rate & Dry Reference

e:< N-BUTYL ACETATE

Appearance and Odor:LIQUID, SOLVENT ODOR.

Percent Volatiles by Volume:89.58

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE HAZARDOUS INCLUDING CARBON MONOXIDE AND CARBON DIOXIDE.

======= Disposal Considerations ============

Waste Disposal Methods:DISPOSING: BE SURE IT IS PACKAGED, STORED, TRANSPORTED & OTHERWISE MANAGED PER LOCAL, STATE, FED REGS. NO DISPOSAL METHOD IS TO BE USED THAT WOULD POSE AN ENVIRONMENTAL OR

HUMAN HEALTH THREAT OR WOULD CONTAMINATE GROUND OR SURFACE WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any perso

n utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.