

CAMBRIA ABRASIVES INC -- LAPPING COMPOUND -- 7930-00-443-1465

=====
Product Identification
=====

Product ID:LAPPING COMPOUND

MSDS Date:07/01/1986

FSC:7930

NIIN:00-443-1465

MSDS Number: BJRDX

=== Responsible Party ===

Company Name:CAMBRIA ABRASIVES INC

Address:4980 RIDGE ROAD

City:LOCKPORT

State:NY

ZIP:14094

Country:US

Info Phone Num:716-433-3708

Emergency Phone Num:716-433-3708

Preparer's Name:ALL

EN E EDWARDS

CAGE:CAMBR

=== Contractor Identification ===

Company Name:CAMBRIA ABRASIVES INC

Address:4980 RIDGE ROAD

Box:City:LOCKPORT

State:NY

ZIP:14094

Country:US

Phone:716-433-3708

CAGE:CAMBR

Company Name:KENT-MOORE TOOL GROUP SUB OF SEALED POWER CORP

Address:28635 MOUND RD

Box:City:WARREN

State:MI

ZIP:48092-3499

Country:US

CAGE:33287

=====
Composition/Information on Ingredients
=====

Ingred Name:STEARIC ACID, CALCIUM SALT (CALCIUM STEARATE), 1.8-11.9%
WEIGHT

CAS:1592-

23-0
RTECS #:WI3000000

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED HEAVY
NAPHTHENIC, 36.3-81.0% WEIGHT
CAS:64742-52-5
RTECS #:PY8035000

Ingred Name:SORBITAN, MONOOLEATE POLYOXYETHYLENE DERIV.
(POLYOXYETHYLENESORBITOL OLEATE), 3.6-7.1% WEIGHT
CAS:9005-65-6
RTECS #:WG2932500

Ingred Name:SULFURIZED ISOBUTYLENE, 0.06-0.9% WEIGHT
CAS:68511-50-2

Ingred Name:PROD MAY HAVE EITHER ALUMINUM OXIDE OR SILICON CARBIDE
PRESENT. INGREDIENTS 6&7 FOR ALUMINUM OXIDE, 8&9 FOR SILICON CARBIDE.
RTECS #:9999999ZZ

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS
FORMS) (SARA III)
CAS:1344-28-1
RTECS #:BD1200000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:SILICON CARBIDE
CAS:409-21-2
RTECS #:VW0450000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
OSHA

PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9192

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: MILD (TRANSIENT)
IRRITATION. MFR IDENTIFIES SKIN AS PRIMARY ROUTE OF ENTRY.
Explanation of Carcinogenicity:CARBON BLACK: CLASS 2B (IARC)
Effects of Overexposure:NONE SPECIFIED BY MANU
FACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:INGEST: DO NOT INDUCE VOMITING. GET MD. SKIN: FLUSH WITH SOAP
AND WATER. REMOVE AND LAUNDRER CONTAMINATED CLOTHING. EYES: FLUSH
WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MD. INHAL: REMOVE
TO FR ESH AIR. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION)

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:COC
Flash Point:360F,182C
Extinguishing Media:WATER FOG, CO*2, DRY CHEMICAL, FOAM, EARTH OR SAND
Fire Fighting Procedures:WATER MAY CAUSE FROTHING.
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR
SCOOP UP AND REMOVE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====
=====

Ha

Handling and Storage Precautions:CONTAINS FINE ABRASIVE. DO NOT GET IN EYES OR ON CLOTHING. KEEP AWAY FROM SPARKS AND OPEN FLAMES. WASH THOROUGHLY AFTER HANDLING.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Ventilation:USE WITH ADEQUATE VENTILATION.
Protective Gloves:NEOPRENE OR POLY-ETHYLENE
Eye Protection:CHEM WORK GOGGLES/FACESHLD OPTNL
Other Protective Equipment:NONE
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:650F,343C
Melt/Freeze Pt:M.P/F.P Text:200F,93C
Spec Gravity:0.9-1.4 @ 16C
Solubility in Water:46-90%
Appearance and Odor:FLUID GREASE, SEMI-SOLID GREASE, BLAND ODOR
Percent Volatiles by Volume:0

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:OPEN
FLAMES
Hazardous Decomposition Products:CO & CO*2 IF INCOMPLETE COMBUSTION

=====
Disposal Considerations
=====

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.