

H B FULLER COMPANY -- FE-0004-B -- 8040-00-157-8677

=====
Product Identification
=====

Product ID:FE-0004-B

MSDS Date:02/05/1990

FSC:8040

NIIN:00-157-8677

Kit Part:Y

MSDS Number: BJVZB

=== Responsible Party ===

Company Name:H B FULLER COMPANY

Address:1200 WOLTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Country:US

Info Phone Num:612-481-3300

Emergency Phone Num:612-481-3300

Preparer's Na

me:JOHN R. DOLMAR

CAGE:ODH19

=== Contractor Identification ===

Company Name:H B FULLER COMPANY

Address:1200 WOLTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Phone:(800) 228-5635

CAGE:ODH19

Company Name:H.B. FULLER COMPANY

Address:3500 LEXINGTON AVENUE N.

Box:City:ST. PAUL

State:MN

ZIP:55126-8076

Country:US

Phone:612-236-5300/ -5309 FAX

CAGE:ODH19

=====
Composition/Information on Ingredients
=====

Ingred Name:DIETHYLENETRIAMINE, ETHYLENEDIAMINE, N-(2-AMINOETHYL)

CAS:1

11-40-0
RTECS #:IE1225000
Fraction by Wt: 1-10%
Other REC Limits:4 MG/CUM
OSHA PEL:1 PPM (SKIN)
ACGIH TLV:1 PPM (SKIN)

Ingred Name:POLYAMIDE RESIN
Fraction by Wt: >10%

Ingred Name:SILICON DIOXIDE, CELITE 322
CAS:7631-86-9
RTECS #:VV3100000
Fraction by Wt: 1-10%
OSHA PEL:80 MG/CUM
ACGIH TLV:0.2 MG/CUM

Ingred Name:CALCIUM CARBONATE, DOMOLITE, LIMESTONE, WHITING
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: >10%
OSHA PEL:15 MG/CUM (DUST)
ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:WEIGHT PER GALLO
N IN POUNDS: 11.4
RTECS #:9999999WG

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION &
SENSITIZATION. INHALATION: RESPIRATORY IRRITATION, HARMFUL.
Explanation of Carcinogenicity:NONE

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 1
5 MINS. SKIN: WASH W/SOAP &
WATER. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING IF
NECESSARY. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F
Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CO2
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL
PROTECTIVE CLOTHING.

=====
===== Accidental Release Measures =====

Spill Relea

se Procedures:WEAR PROTECTIVE EQUIPMENT. WIPE UP W/ABSORBENT MATERIAL. REMOVE RESIDUE W/A CHLORINATED SOLVENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION.
Other Precautions:AVOID CONTACT W/SKIN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NORMALLY REQUIRED
Ventilation:STANDARD INDUSTRIAL VENTILATION.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLAS
SES
Other Protective Equipment:PROTECTIVE CLOTHING
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
PERCENT SOLIDS BY WEIGHT: 100

=====
Physical/Chemical Properties
=====

HCC:N1
Appearance and Odor:LIQUID

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:LOW MOLECULAR WEIGHT HYDROCARBONS, CO,
NITROGEN COMPOU
NDS

=====
Disposal Considerations
=====

Waste Disposal Methods:INCINERATE OR DISPOSE OF IN AN APPROVED INDUSTRIAL LANDFILL IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and dis

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.