

BEECHAM HOME IMPROVEMENT PRODUCTS INC. -- DAP WELDWOOD ACRYLIC LATEX CONTACT CEMENT -- 8040-00-754-2685

=====
Product Identification
=====

Product ID:DAP WELDWOOD ACRYLIC LATEX CONTACT CEMENT

MSDS Date:05/12/1986

FSC:8040

NIIN:00-754-2685

MSDS Number: BJYJP

=== Responsible Party ===

Company Name:BEECHAM HOME IMPROVEMENT PRODUCTS INC.

Box:277

City:DAYTON

State:OH

ZIP:45401

Country:US

Info Phone Nu

m:513-253-7154

Emergency Phone Num:513-253-7154

Preparer's Name:C.L. JOHNSON

CAGE:1BL51

=== Contractor Identification ===

Company Name:BEECHAM HOME IMPROVEMENT PRODUCTS INC

Address:855 N 3RD ST

Box:277

City:TIPP CITY

State:OH

ZIP:45371-3014

Country:US

CAGE:1BL51

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS (LATEX, WATER, INERT ADDITIVES)

Fraction by Wt: 0%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identificatio

n =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:THIS PRODUCT CONTAINS NO CARCINOGENS AS LISTED BY NTP, IARC AND OSHA.

===== First Aid Measures =====

First Aid:INHALATION: NO KNOWN HEALTH HAZARD EXISTS. EYES: FLUSH WITH LARGE AMOUNTS OF WATER. CONTACT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. CONSULT A PHYSICIAN IF IRRITATION DEVELOPS. INGESTION: IF VICTI M IS CONSCIOUS, GIVE L ARGE AMOUNTS OF WATER AND INDUCE VOMITING. CONTACT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>200F/>93C

Extinguishing Media:FOAM, WATER, DRY CHEMICALS

Fire Fighting Procedures:USE WATER SPRAY TO COOL EXPOSED SURFACES.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE OR WIPE UP MATERIAL AND DISCARD ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

===== Handling an
d Storage =====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT AND FREEZING. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF THE REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Ventilation:NORMAL ROOM VENTILATION

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:00.92

Evaporation Rate

& Reference:1 (WATER=1)

Solubility in Water:SOLUBLE

Appearance and Odor:TAN MOBILE LIQUID, SLIGHT AMMONIA ODOR

Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:NORMAL COMBUSTION PRODUCTS, (COX,
NOX).

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODU

CT IS NON-HAZARDOUS ACCORDING TO U.S.

EPA'S HAZARDOUS WASTE MANAGEMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and a

ssume responsibility for the suitability of this information to their particular situation.