

MINNESOTA MINING & MFG CO INDUSTRIAL CHEM PRODUCTS -- FC-200 LIGHT WATER AQUEOUS
FILM FORMING FOA -- 4210-01-056-0883

===== Product Identification =====

Product ID:FC-200 LIGHT WATER AQUEOUS FILM FORMING FOA

MSDS Date:03/01/1977

FSC:4210

NIIN:01-056-0883

MSDS Number: BJZQK

=== Responsible Party ===

Company Name:MINNESOTA MINING & MFG CO INDUSTRIAL CHEM PRODUCTS

Address:3M CTR

City:ST PAUL

State:M

N

ZIP:55144

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:28112

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO PERFORMANCE CHEM AND FLUIDS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501

CAGE:28112

===== Composition/Information on Ingredients =====

Ingred Name:THE MANUFACTURER DOES NOT LIST ANY HAZARDOUS INGREDIENTS IN
THIS PRODUCT.

RTECS #:9999999ZZ

Fractio

n by Wt: 100%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES/SKIN: PROLONGED CONTACT MAY CAUSE
SLIGHT IRRITATION. AVOID BREATHING OF VAPOR/FOAM.

Explanation of Carcinogenicity:INGREDIENT FORMULATION WAS NOT MENTIONED
ON THIS MSDS.

Effects of Overexposure:IRRITATION OF EYES/SKIN/RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:PERSONS

WITH A HISTORY OF SKIN AND
RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.
GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION:
REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Extinguishing Media:MATERIAL IS ITSELF AN EXTINGUISHING AGENT
Fire Fighting Procedures:USE STANDARD FIRE FIGHTING PROCEDURES.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:MOP OR WIPE UP SPILL. CLEAN UP RESIDUE.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED
AREA AT TEMPERATURES BETWEEN 35-120F.
Other Precautions:AVOID DIRECT EYE AND SKIN CONTACT.

=====

Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION
EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS
PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND
NIOSH-RESPIRATOR SELECTION.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hy

gienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212

Spec Gravity:1.020

Evaporation Rate & Reference: