

ASHLAND OIL INC -- GEAR LUBE VAL X18 MD MP SAE 80W90 -- 9150-01-035-5393

=====  
Product Identification  
=====

Product ID:GEAR LUBE VAL X18 MD MP SAE 80W90

MSDS Date:01/01/1987

FSC:9150

NIIN:01-035-5393

MSDS Number: BKBMJ

=== Responsible Party ===

Company Name:ASHLAND OIL INC

Address:1409 WINCHESTER AVE

Box:391

City:ASHLAND

State:KY

ZIP:41114

Country:US

Info Phone Num:606-324-1133

Emergency Phone Nu

m:606-324-1133

Preparer's Name:DGSC-SSH

CAGE:81355

=== Contractor Identification ===

Company Name:ASHLAND INC

Address:1409 WINCHESTER AVE

Box:391

City:ASHLAND

State:KY

ZIP:41114

Country:US

Phone:800-622-6846

CAGE:81355

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM LUBE OIL, CAS# 64742-65-0

CAS:64742-65-0

Fraction by Wt: >60%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/CUM

=====  
Hazards Identification  
=====

LD50

LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION, SKIN IRRITATION, GASTROINTESTINAL IRRITATION.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIAL CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:EYES: IRRITATION, REDNESS, TEARING. SKIN: IRRITATION. INGEST: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING, WASH AREA WITH SOAP & WATER. WASH CLOTHING BEFORE RE-USE. INGESTION: IMMEDIATELY DRINK 2 GLASSES OF WATER & INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION.

=====  
===== Fire Fighting Measures =====

Flash Point:>200F,>94C COC

Extinguishing Media:FOAM OR CARBON DIOXIDE OR DRY CHEMICAL

Fire Fighting Procedures:WEAR SCBA WITH FULL FACEPIECE. WATER OR FOAM MAY CAUSE FROTHING

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (RESIDUE) CAN IGNITE OR EXPLODE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL:ABSORB LIQUID ON PAPER,VERMICULITE,FLOOR ABSORBENT OR OTHER ABSORB MATRL & TRAN TO HOOD.LRG SPILL:ELIMINATE IGNITION SOURCES.EXCLUDE PERSON NOT WEAR PROT EQUIP.DIKE SPILL STOP SPILL AT SOURCE,PUMP LIQ TO SALVAGE TANK.SEE OTHER PRECAUTION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:CONTAINERS RETAIN PRODUCT RESIDUES AND

MAY BE HAZARDOUS WHEN EMPTIED.ALL HAZARDOUS PRECAUTIONS GIVEN IN THIS DATA SHEET MUST BE OBSERVED.

Other Precautions:RELEASE OR SPILL:REMAINING LIQ MAY BE TAKEN UP ON SAND,CLA EARTH,FLOOR OR OTHER ABSORBENT MATERIAL & PLACE INTO CONTAINERS.PREVENT RUN-OF TO SEWERS OR OTHER BODIES OF WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:LOCAL/MECHANICAL EXHAUST TO KEEP 425F,>218C

Spec Gravity:0.9

020

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PETROLEUM ODOR,BROWN,VISCOUS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:S

MALL SPILL:ALLOW VOLATILE PORTION TO EVAPORATE

IN HOOD.ALLOW SUFFICIENT TIME FOR VAPORS TO COMPLETELY CLEAR HOOD

DUCT WORK.LARGE SPILL:DESTROY BY LIQUID INCINERATION.LANDFILL

CONTAMINATED ABSORBENT I N ACCORDANCE WITH LOCAL,STATE AND FEDERAL

REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, wa

rrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.