View NSN Online: https://aerobasegroup.ae/nsn/4210-00-808-4545

GENERAL FIRE EXTINGUISHER CORP -- GENERAL PURPLE-K DRY CHEMICAL -- 4210-00-808-4545

Product ID:GENERAL PURPLE-K DRY CHEMICAL MSDS Date:02/10/1989 FSC:4210 NIIN:00-808-4545 **MSDS Number: BKBXY** === Responsible Party === Company Name: GENERAL FIRE EXTINGUISHER CORP Address:1685 SHERMER RD City:NORTHBROOK State:IL ZIP:60062-5315 Country:US Info Phone Num:312-272-7500 Е mergency Phone Num:312-729-8800 Preparer's Name: WILLIAM R. WARNOCK CAGE:99539 === Contractor Identification === Company Name: GENERAL FIRE EXTINGUISHER CORP Address:1685 SHERMER RD Box:City:NORTHBROOK State:IL ZIP:60062-5315 Country:US Phone:(708) 847-272-7500; 847-272-7500 CAGE:99539

Ingred Name:POTASSIUM BICARBONATE CAS:298-14-6 Other REC Limits:NONE SPECIFIED

Ingred Name:NON HAZARDOUS INGREDIENT(S) Other REC Limits:NONE S

PECIFIED

LD50 LC50 Mixture: TLV (NUISANCE DUST) 10 MG/M3 ACGIH Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES/SKIN: PROLONGED CONTACT CAN CAUSE IRRITATION. AVOID BREATHING OF VAPOR. CHRONIC OVEREXPOSURE COULD **RESULT IN FIBROSIS OF THE LUNG, PNEUMOCONIOSIS** Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRO DUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: IRRITATION OF EYES/SKIN/RESPIRATORY TRACT. INHALATION OF MATERIAL IS AS MINERAL DUST AND MAY RESULT IN TRANSIENT COUGH AND SHORTNESS OF BREATH. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS (REACTIVE AIRWAY) MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WARM WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION:IF PATIENT IS CONSCIOUS, GIVE LARGE AMOUNTS OF WATER AND INDUCE VOMITING. SEEK MEDICAL HELP.

Extinguishing Media:THIS MATERIAL IS AN EXTINGUISHING AGENT
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.
EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: MOP OR WIPE UP SPILL. CAREFULLY USE VACUUM TO AVOID CREATING DUST. Neutralizing Agent: NONE

Handling	and Storage	Precautions	STORE IN	A COOL,	DRY,

WELL VENTILATED AREA IN ORIGINAL CONTAINER. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. USE PART ICLE MASK 3M 8506 IF PO SSIBLE.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE. Protective Gloves:RUBBER GLOVES

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment: IF IRRITATION OCCURS, LONG SLEEVES AND IMPERVIOUS GLOVES SHOULD BE WORN.

Work Hygienic Practices: KEEP DUST LEVELS TO MINIMUM. PROTECT FROM MOISTURE. WASH FROM EYES WITH WARM WATER. WASH EXPOSED SKIN WITH SOAP / WATER.

Supplemental Safety and Health DO NOT MIX WITH OTHER AGENTS.

HCC:N1 Spec Gravity:2.17 Solubility in Water:WATER REPELLANT 94% Appearance and Odor:FINE PURPLE POWDER

Stability Indicator/Materials to Avoid:YES DO NOT MIX WITH AMMONIUM DIHYDROGEN PHOSPHATE BASE FIRE EXTINGUISHER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE, POTASSIUM CARBONATE

====== Disposal Co

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.