

THOMPSON-HAYWARD CHEMICAL COMPANY -- SODIUM CYANIDE BRIQ 200, 16-08147-02 --
6810-00-242-6336

=====
===== Product Identification =====

Product ID:SODIUM CYANIDE BRIQ 200, 16-08147-02
MSDS Date:08/10/1988
FSC:6810
NIIN:00-242-6336
MSDS Number: BKHJM
==== Responsible Party ====
Company Name:THOMPSON-HAYWARD CHEMICAL COMPANY
Address:5200 SPEAKER RD
City:KANSAS CITY
State:KS
ZIP:66106
Info Phone Num:(913) 321
-3131
Emergency Phone Num:(913) 321-3131
Preparer's Name:GENE TURNER
CAGE:5G633
==== Contractor Identification ====
Company Name:THE AGRICULTURE AND NUTRITION CO INC.
Address:N/K (FORMERLY THOMPSON-HAYWARD CHEMICAL
City:KANSAS CITY
State:KS
ZIP:66106
Country:US
Phone:913-321-3131
CAGE:09531
Company Name:THOMPSON-HAYWARD CHEMICAL CO
Address:5200 SPEAKER RD
Box:City:KANSAS CITY
State:KS
ZIP:66106
Country:US
Phone:913-321-3131
CAGE:5G633

=====
===== Composition/Information on Ingredients =====

=====

Ingred Name:SODIUM CYANIDE (SARA III)
CAS:143-33-9
RTECS #:VZ7525000
Fraction by Wt: 100%
OSHA PEL:5 MG/M3 (CN)
ACGIH TLV:S; 5 MG/M3 (CN);9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT): 15 MG/L
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION, BURNS, TEARING,
BLURRING OF VIS
ION OR PERMANENT DAMAGE. SKIN/INHALATION/INGESTION:
IRRITATION W/DISCOMFORT, RASH, PERMEATION, NAUSEA, HEADACHE,
DIZZINESS, VOMITING, UNCONSCIOUSNESS, RAPID RESPIRATION, LOWER
BLOOD PRESSURE, CONVULSIONS, FATAL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES: IRRITATION, BURNS, TEARING, BLURRING OF
VISION OR PERMANENT DAMAGE. SKIN/INHALATION/INGESTION: IRRITATION
W/DISCOMFORT, RASH, PERMEATION, NAUSEA, HEADACHE, DIZZINESS,
VOMITING, UNCONSCIOUSNESS, RAP
ID RESPIRATION, LOWER BLOOD
PRESSURE, CONVULSIONS, FATAL.
Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISEASES.

===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. ADMINISTER AMYL NITRATE
ANTIDOTE & OXYGEN. INGESTION: GIVE PATIENT 1 PINT OF 1% SODIUM
THIOSULFATE SOLUTION OR PLAIN WATER BY MOUTH/INDUCE VOMITING. KEEP
HEAD BELOW HIPS TO PREVENT ASPIRATION. NEVER GIVE ANYTHING TO AN
UNCONSCIOUS PERSON BY
MOUTH. EYES: FLUSH W/PLENTY OF WATER. SKIN:
WASH THE CYANIDE. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point:WILL NOT BURN
Extinguishing Media:USE WATER ON FIRES NEAR SODIUM CYANIDE. DON'T USE
CO2.
Fire Fighting Procedures:CO2 REACTS W/SODIUM CYANIDE TO PRODUCE
HYDROGEN CYANIDE IF MOISTURE IS PRESENT. CONTAIN RUNOFF.

===== Accidental Release Measures =====

Spill Release Procedure

s:SWEEP UP/SHOVEL INTO A COVERED CONTAINER OR PLASTIC BAG, PENDING TRANSFER. COVER/KEEP SPILLAGE DRY. FLUSH SPILL AREA W/A DILUTE SOLUTION OF SODIUM OR CALCIUM HYPOCHLORITE. DON'T ALLOW ESCAPE INTO NATURAL WATERS BEFORE DETOXIFYING.

Neutralizing Agent:SODIUM HYPOCHLORITE OR HYDROGEN PEROXIDE.

=====**Handling and Storage**=====

Handling and Storage Precautions:STORE IN LABELED CONTAINERS IN DRY, VENTILATED, SECURED AREAS, AWAY FROM COMBUSTIBLES & FLAMMABLES.

DON'T BREATHE DUST, MIST OR HYDROCYANIC ACID GAS.

Other Precautions:AVOID CONTACT W/SKIN, EYES/CLOTHING. EMPTIED CONTAINERS MAY BE HAZARDOUS AS THEY MAY RETAIN PRODUCT RESIDUES. DON'T HANDLE OR STORE FOOD, BEVERAGES OR TOBACCO IN CYANIDE AREAS. KEEP CONTAINERS CLOSED & DRY.

=====**Exposure Controls/Personal Protection**=====

Respiratory Protection:DISPOSABLE TOXIC DUST OR MIST RESPIRATORS OR SELF-CONTAINED BREATHING APPARATUS.

Ventilation:PROVIDE

MECHANICAL VENTILATION TO KEEP DUST, MIST & HYDROCYANIC ACIDS GAS