

VISILOX SYSTEMS INC. -- V-658 A -- 8030-01-324-1309

=====
Product Identification
=====

Product ID:V-658 A
MSDS Date:03/02/1990
FSC:8030
NIIN:01-324-1309
Kit Part:Y
MSDS Number: BKJWX
=== Responsible Party ===
Company Name:VISILOX SYSTEMS INC.
Address:RT # 5 BOX 116
City:TROY
State:NY
ZIP:12180
Country:US
Info Phone Num:518-283-5963
Emergency Phone Num:518-283-5963
Preparer's Name:MARK WOLOSEN
CAG
E:64101
=== Contractor Identification ===
Company Name:VISILOX SYSTEMS INC
Address:RT 355 SICHIO DR RR 1
Box:1344
City:POESTENKILL
State:NY
ZIP:12140
Country:US
Phone:800-423-9993
CAGE:64101

=====
Composition/Information on Ingredients
=====

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Health Hazards Acute and Chronic:EYE CONTACT MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE MILD IRRITATION.
Effects of Overexposure:EYE CONTACT MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE MILD IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER. CONSULT A PHYSICIAN IF IRRITATION PERSISTS. SKIN:WASH WITH SOAP & WATER. INGESTION:RINSE MOUTH WITH WATER SEVERAL TIMES. CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:400F,204C
Extinguishing Media:ALL STANDARD FIREFIGHTING AGENTS ARE SUITABLE
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING IS RECOMMENDED.
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE OR SCRAPE UP AND PUT IN A CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN AMBIENT CONDITIONS ABOVE FREEZING AND BELOW 90 F TO MAINTAIN SHELF LIFE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED
Ventilation:MECHANICAL (GENERAL) RECOMMENDED
Protective Gloves:RUBBER GLOVES RECOMMENDED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:EYE WASH
Supplemental Safety and Health
*CANADI

AN WHMIS CONTROLLED PRODUCT. CLASS D-TYPE 2-SUBTYPE B-TOXIC MATERIAL. THIS PRODUCT CONTAINS CRYSTALLINE SILICA WHICH HAS BEEN LISTED BY THE STATE OF CALIFORNIA PROPOSITION 65 AS A CANCER CAUSING MATERIAL.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:500F,260C
Vapor Pres:NEG
Spec Gravity:1.38
Evaporation Rate & Reference:< 1 (WATER =1)
Solubility in Water:NEG
Appearance and Odor:WHITE, POURABLE LIQUID, VERY LITTLE ODOR
Percent Volatiles by Volume:< 1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS & BASES
Hazardous Decomposition Products:CO, CO2, SIO2, CAO.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.