City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIUM CHLORIDE (SARA III)

CAS:12125-02-9 RTECS #:BP4550000 Fraction by Wt: 100%

Other REC Limits:10 MG/CUM OSHA PEL:10 MG/M3/20 STEL ACGIH TLV:10 MG/M3 FUME; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

====== Hazards Identi

fication ====================================
LD50 LC50 Mixture:ORAL RAT 1650 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO EYES,SKIN, RESPIRATORY TRACT. Effects of Overexposure:NAUSEA,VOMITING,ACIDOSIS,CENTRAL NERVOUS SYSTEM EFFECTS Medical Cond Aggravated by Exposure:NONE
======================================
First Aid:INHAL:RMV TO FRESH AIR . IF NOT BRTHNG GIV CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN: WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.
======================================
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:MAY EMIT TOXIC FUMES
Spill Release Procedures:SWEEP UP SOLIDS.STORE IN CLOSED CONTAINER FOR DISPOSAL.AREA MAY BE WASHED WITH WATER AND FLUSHED TO DRAIN AFTE EXCESS SOLID IS REMOVED
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING
======= Expo sure Controls/Personal Protection ==========
Respiratory Protection:DUST/MIST RESPIR Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN