

DAVIS HOWLAND OIL CO. -- NAPHTHA -- 6810-00-224-7637

===== Product Identification =====

Product ID:NAPHTHA
MSDS Date:01/01/1987
FSC:6810

NIIN:00-224-7637
MSDS Number: BKLVD

=== Responsible Party ===

Company Name:DAVIS HOWLAND OIL CO.
Address:200 ANDERSON AVENUE
City:ROCHESTER
State:NY
ZIP:14706
Country:US

Info Phone Num:716-473-6650
Emergency Phone Num:716-473-6650
Preparer's Name:DOD-HMIS (DGSC-S
SH)

CAGE:5A565

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.
Address:200 ANDERSON AVE.
City:ROCHESTER
State:NY
ZIP:14607
Country:US

Phone:716-473-6650

CAGE:5A565

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)
CAS:8030-30-6
RTECS #:DE3030000
Fraction by Wt: 100%
OSHA PEL:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion

:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO BODY TISSUES.
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT
IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:AVOID EYE CONTACT AND INHALATION. DO NOT
INGEST.
Medical Cond Aggravated by Exposure:NONE GIVEN BY MANUFACTURER
(SUPPLIER).

=====
===== First Aid Measures =====

First Aid:EYE:IMMEDI
ATELY FLUSH W/WATER AT LEAST 15 MIN. CALL MD.
SKIN:FLUSH THOROUGHLY W/WATER. INHAL:REMOVE TO FRESH AIR & CALL MD.
INGEST:INDUCE VOMITING & CALL MD. (MFG REC)

=====
===== Fire Fighting Measures =====

Flash Point:22F TCC
Extinguishing Media:SMALL FIRE-CO*2, DRY CHEM; LARGE FIRE-FOAM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCE
S OF IGNITION.FLUSH
W/LARGE VOLUMES OF WATER.
Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORING IN EXCESSIVE HEAT.J
Other Precautions:DOT CLASSIFICATION:FLAMMABLE LIQUID.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED. IN CONFINED AREAS. NIOSH/MSHA
APP.RESP.
Ventilation:MECHANICAL-REQUIRED;LOCAL-DESIRABLE
Protective Gloves:PLASTIC
Eye Prote

ction:CHEMICAL GOGGLES

Other Protective Equipment:NONE GIVEN BY MANUFACTURER (SUPPLIER).

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

MSDS GENERATED FROM THE SAME SPEC MATERIAL FROM A DIFFERENT MFR.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:205F,96C

Vapor Density:1.6

Spec Gravity:0.771

Evaporation Rate & Reference:3.1

BUTYL ACETATE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WATER WHITE LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:HEAT, FIRE & SPARKS

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:ATOMIZE INTO AN INCINERATOR-RECOMMENDS MFG.
DISPOSE IN ACCORDANCE W/LOCAL, STATE,
& FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to
their
particular situation.