

ILLINOIS OIL PRODUCTS INC -- SMITH FILTER FLUID, READY-TO-USE -- 4130-00-860-0042

=====
Product Identification
=====

Product ID:SMITH FILTER FLUID, READY-TO-USE

MSDS Date:02/01/1988

FSC:4130

NIIN:00-860-0042

MSDS Number: BLFGF

=== Responsible Party ===

Company Name:ILLINOIS OIL PRODUCTS INC

Address:321 24TH STREET

City:ROCK ISLAND

State:IL

ZIP:61201-8818

Country:US

Info Phone Num:309-786-4474

Eme

Agency Phone Num:309-786-4474

Preparer's Name:DAVE BURGESS

CAGE:7J920

=== Contractor Identification ===

Company Name:ILLINOIS OIL PRODUCTS INC

Address:321 24TH STREET

Box:City:ROCK ISLAND

State:IL

ZIP:61201-8818

Country:US

Phone:309-786-4474

CAGE:7J920

Company Name:UPD INC

Address:820 AVE F SUITE 104

Box:861468

City:PLANO

State:TX

ZIP:75086-1468

Country:US

Phone:214-881-0137

CAGE:5P920

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTI

LLATES, HYDROTREATED LIGHT
NAPHTHENIC
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MINIMALLY IRRITATING. SKIN:
MILDLY IRRITATING. PROLONGED AND REPEATED CONTACT MAY LEAD TO
VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, OIL ACNE OR
FOLLICULITIS. INHALATION: MAY CAUSE MILD IRRITATION OF THE UPPER
RESPIRATORY TRACT. INGESTION: SLIGHTLY TOXIC.
Effects of Overexposure:IRRITATION OF THE SKIN, EYES, AND/OR
RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY
DISORDERS.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MIN WHILE HOLDING EYELIDS OPEN.
GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING AND WIPE
EXCESS OFF. WASH WITH SOAP AND WATER OR A WATERLESS HAND CLEANER
FOLLOWED BY SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL
ATTENTION. INHALATION: REMOVE VICTIM TO FRESH AIR AND ASSIST WITH
BREATHING IF NECESSARY. INGESTION: DO NOT INDUCE VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:239F,115C
Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CARBON
DIOXIDE. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT &
REIGNITE.
Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO
NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNDER GEAR. INCLUDE A
POSITIVE-PRESSURE NOISH-APPROVED RESPIRATOR.
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS
APPROPRIATE FOR FIGHTING LARGE FIRES. SHUT OFF SOURCE OF LEAK IF

POSSIBLE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE SALVAGE VESSELS. SOAK UP RESIDUE.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH-APPROVED RESPIRATOR, IF NECESSARY TO PREVENT OVEREXPOSURE.

Ventilation:ADEQUATE VENTILATION

Protective Gloves:CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS NEEDED.

Work Hygienic Practices:NORMAL PRACTICES

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>388F,>198C

Spec Gravity:0.873

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT AMBER LIQUID, SLIGHT HYDROCARBON ODOR.

Percent Volatiles by Volume: