View NSN Online: https://aerobasegroup.ae/nsn/7930-00-045-6923

## ABSOLUTE MAINTENANCE SUPPLIES INC -- FLOOR POLISH REMOVER -- 7930-00-045-6923

Product ID:FLOOR POLISH REMOVER

MSDS Date:01/11/1991

FSC:7930

NIIN:00-045-6923

MSDS Number: BLJDW === Responsible Party ===

Company Name: ABSOLUTE MAINTENANCE SUPPLIES INC

Address:395 E FERRY STREET

City:BUFFALO

State:NY ZIP:14208 Country:US

Info Phone Num:716-885-5661

Emergency Phone Nu

m:716-885-5661 CAGE:0PUE4

=== Contractor Identification ===

Company Name: ABSOLUTE MAINTENANCE SUPPLIES INC

Address:703 SENECA ST

Box:463

City:BUFFALO

State:NY ZIP:14209 Country:US

Phone:718-855-1377

CAGE:0PUE4

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4905000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM ME

TASILICATE (PENTAHYDRATE)

CAS:6834-92-0

RTECS #:VV9275000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

**ACGIH TLV:NONE** 

Ingred Name: ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000 Fraction by Wt: 1.5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III)

CAS:7758-29-4

RTECS #:YK4570000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTOXYETHANOL

CAS:111-76

-2

RTECS #:KJ8575000 Fraction by Wt: 2.75%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name: SODIUM PHOSPHATE, TRIBASIC (SARA III)

CAS:7601-54-9

RTECS #:TC9490000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ALKYL ALCOHOL ETHOXYLATES

CAS:68439-46-3 Fraction by Wt: 2%

Other REC Limits: NONE SPECIFIED

**ACGIH TLV:NONE** 

Ingred Name: ETHYLENE OXIDE (SARA III)

CAS:75-21-8

RTECS #:KX2450000

Fraction by Wt

: 1% Other REC Limits: NONE SPECIFIED OSHA PEL:1 PPM; SEE 1910.1047 ACGIH TLV:1 PPM, A2; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name:YELLOW DYE Fraction by Wt: .00% Other REC Limits: NONE SPECIFIED Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits: NONE SPECIFIED ACGIH TLV:NONE ------ Hazards Identification ------Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazard s Acute and Chronic: IRRITATION TO SKIN, EYES AND INGESTION. Explanation of Carcinogenicity: ALKYNE OXIDE IS A SUSPECTED HUMAN CARCINOGEN. Effects of Overexposure: MILD IRRITATION TO SKIN AND EYES. Medical Cond Aggravated by Exposure: SKIN DERMATITIS First Aid:WASH WITH COPIOUS AMOUNTS OF WATER. Flash Point:NONE Extinguishing Media: WILL NOT BURN OR IGN ITE. Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures:FLUSH WITH COPIOUS AMOUNTS OF WATER. ============= Handling and Storage =================== Handling and Storage Precautions: STORE IN DRY AREAS IN CONTAINERS THAT ARE TIGHTLY CLOSED. Other Precautions:NONE ===== Exposure Controls/Personal Protection ========

Respiratory Protection:NOT REQUIRED Vent

ilation:LOCAL EXHAUST: NORMAL. MECHANICAL: IF VAPOR CONCENTRATION IS HIGH. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:IF NECESSARY, WEAR PROTECTIVE CLOTHING. Work Hygienic Practices:AREAS SHOULD BE CLEAN, DRY AND WELL-VENTILATED. Supplemental Safety and Health
======== Physical/Chemical Properties ==========
HCC:B3 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.039 pH:12.99 Solubility in Water:COMPLETE
Appearance and Odor:YELLOW AQU EOUS SOLUTION WITH AROMATIC ODOR.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES ACIDS-PREVENT CONTACT WITH ZINC MAGNESIUM. Stability Condition to Avoid:EXTREME HEAT OR FIRE AND GALVANIZED METALS.
======= Disposal Considerations ==========
Waste Disposal Methods:IN ACCORDANCE WITH FEDERAL AND LOCAL LAWS, NEUTRALIZE WITH ACID BEFORE DISPOSAL.
Disclaimer (provided with this information by the compiling agencies):  This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.