

N/P -- ANCAMINE K61B -- 8030-00-875-2631

Product ID:ANCAMINE K61B

MSDS Date:01/01/1987

FSC:8030

NIIN:00-875-2631

MSDS Number: BLJKR

=== Responsible Party ===

CAGE:0EMW2

=== Contractor Identification ===

Company Name:PACIFIC ANCHOR CHEM CORP,(TRIMONT CHEMICALS)

Address:1224 MENDON ROAD

Box:City:CUMBERLAND

State:RI

ZIP:02864

Phone:401-333-4100

CAGE:0EMW2

=====  
Composition/Information on Ingredients  
=====

Ingred N

ame:TRIS(DIMETHYLAMINOMETHYL)PHENOL TRI(2-ETHYL HEXOATE)

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: HIGH CONCENTRATIONS OF VAPOR

CAUSE IRRITATION OF EYES AND RESPIRATORY TRACT, NAUSEA, AND

VOMITING. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE ASTHMA

AND SKIN SENSITIZATION OR OTHER ALLER GIC RESPONSE.

Explanation of Carcinogenic

ity:NO

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH W/WATER--15 MINS, HOLD EYES OPEN. GET MED AID.

SKIN: WASH W/WATER WHILE REMOVING CONTAM CLOTH/SHOES. WASH CLOTH

BEFORE RE-USE & DISCARD CONTAM LEATHER. GET MED AID IF SWELLING OR

REDDENING OCCUR. INHAL: GET FRESH AIR. GIVE OXYGEN, IF NECESSARY.

IF PERSISTENT, GET MED AID. INGEST: INDUCE VOMIT--DEPRESS BACK OF

THROAT W/ FINGER OR DRINK 1 OR MORE GLASSES SALTED H2O. GET MED

AID.

===== Fire Fighting Measures =====

Flash Point:275F,135C; PMCC

===== Accidental Release Measures =====

Spill Release Procedures:AVOID CONTACT. ABSORB SPILLS W/CLAY OR DIATOMACEOUS EARTH & SHOVEL INTO DISPOSAL CONTAINER, REMOVE CONTAMINATED SOIL. WASH PAVED AREAS W/WATER, CERTAIN THAT DILUTED MATERIAL IS NOT FLUSHED INTO STORM DRAINS/WATER SUPPLIES. WEAR PROTECTIVE CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATORY PROTECTION REQUIRED IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL. FOR EMERGENCIES, A SELF- CONTAINED BREATHING APPARATUS IS RECOMMENDED.

Ventilation:VENT--SUFFIC TO CONTROL VAPORS. CONFINE MAT'L W/IN SEALED/ COVERED EQUIP--USE NORMAL VENT. LOCAL VENT WHERE VAPOR VENTED

Protective Gloves:IMPERVIOUS GLOVES, NEOPRENE OR RUBBER

Eye Protection:SPLSH-PROOF GOGGLES/SAFTY SPECS W/SDSHLD

Other Protective Equi

ipment:CLEAN, BODY COVERING CLOTHING. FURTHER SAFETY EQUIPMENT (APRON, FOOTWEAR, ETC) AS NECESSARY.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE & SAFE WORKING PRACTICES. WASH W/SOAP & H2O BEFORE EATING, DRINKING, OR USING REST ROOM.

Supplemental Safety and Health

PREVENT ALL SKIN AND EYE CONTACT. AVOID BREATING VAPORS. RE-SEAL PARTLY USED CONTAINERS. ENSURE THAT ALL CONTAINER ARE PROPERLY LABELED TO PREVENT ACCIDENTAL INGESTION.

===== Physical/Chemical Properties =====

HCC:N1

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH FEDERAL STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of t

he Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.