Product ID:E-1293 MMM-A-121

MSDS Date:03/25/1990

FSC:8040

NIIN:00-273-8716
MSDS Number: BLJTL
=== Responsible Party ===

Company Name: CLIFTON ADHESIVE INC

Address:BURGESS PLACE

City:WAYNE State:NJ ZIP:07474 Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:79833

=== C

ontractor Identification ===

Company Name: CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ ZIP:07470 Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

Company Name: STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417 Country:US

Phone:201-437-6501

CAGE:33150

====== Composition/Information on Ingredients ========

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 10%

Other REC Limits: NONE SPECIFIED

**OSHA PEL** 

:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name: HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000 Fraction by Wt: 37%

Other REC Limits: NONE SPECIFIED

OSHA PEL:500 PPM ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 8%

Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rp

t Qty:5000 LBS

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: POLYCHLOROPRENE RUBBER

CAS:9010-84-4

Other REC Limits: NONE SPECIFIED

Ingred Name: ABOVE EXPOSURE LIMITS ARE FOR AIR LEVELS. W/SKIN CONTACT OVEREXPOSURE MAY RESULT THOUGH AIR LEVELS ARE LESS THAN LIMITS.

RTECS #:9999999ZZ

Other REC Limits: NONE SPECIFIED

=======

==========	Hazards	Identification	
	Hazarus	Iucillibalibii	

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NAUSEA &/OR NARCOSIS. SEVERE EYE BURNS. CHRONIC: MAY CAUSE NERVE DAMAGE OR SEVERE EYE BURNS. MAY DAMAGE LIVER & KIDNEYS. MINOR EMBRYOTOXIC/FETOTOXIC EFFECTS HAVE BEEN OBSERVED IN LABORATORY RAT S EXPOSED TO MEK BY INHALATION AT LEVELS GREATER THAN 1000 PPM (5X PEL) FOR MOS

T OF THE GESTATION PERIOD.

Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. DRY AND CRACKED SKIN. LIQUID INGESTION MAY RESULT IN VOMITING. NUMBNESS, TINGLING AND WEAKNESS OF ARMS AND LEGS MAY OCCUR. TARGET ORGANS: LIVER DAMAGE IN HUMAN S. POSS KIDNEY, LUNG, SPLEEN, BRAIN DAMAGE; CNS EFFECTS; PERIPHERAL NERVE TISSUE DAMAGE; TERATOGEN. POSS EYE DAMAGE.

Medical Cond Aggravated by Exposure: RESPIRATORY AILMENTS, LIVER AND KIDNEY CONDTIONS.

======	First Aid Measures	

First Aid:WASH WITH SOAP & WATER. FOR PERSISTANT IRRITATION SEE DOCTOR. EYES: FLUSH EYES WITH CLEAN WATER & REFER TO DOCTOR. INGEST: DO NOT INDUCE VOMITING. REFER TO DOCTOR. EXCESSIVE INHALE: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. REFER TO DOCTOR.

============ Fire Fighting Measures =========================

Flash Point Method:CC Flash Point: