

DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP -- EA 956 PART B -- 8040-00-463-7042

=====  
Product Identification  
=====

Product ID:EA 956 PART B

MSDS Date:06/01/1990

FSC:8040

NIIN:00-463-7042

Kit Part:Y

MSDS Number: BLLVM

=== Responsible Party ===

Company Name:DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:US

Info Pho

ne Num:510-458-8000

Emergency Phone Num:510-458-8000

Preparer's Name:SUZANNE FRANZ

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPOXY RESIN SYSTEM

Fraction by Wt: NA

Other REC Limits:NONE SPECIFIED

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-4

0-0  
RTECS #:IE1225000  
Fraction by Wt: < 15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1 PPM  
ACGIH TLV:S, 1 PPM; 9192

Ingred Name:TRIETHYLENETETRAMINE  
CAS:112-24-3  
RTECS #:YE6650000  
Fraction by Wt: < 10%  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MATERIAL IS CORROSIVE TO SKIN. MAY  
CAUSE CHEMIC  
AL BURN TO SKIN AND SEVERE BURNS TO EYES. VAPORS ARE  
IRRITATING AND MAY CAUSE CHEST DISCOMFORT AND BRONCHITIS SYMPTOMS.  
Medical Cond Aggravated by Exposure:NA

=====  
===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN  
THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO  
NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF  
IRRITATION PERSISTS, SEE PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:>300F,>149C  
Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER OR WATER  
SPRAY, FOAM OR FOG.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN  
FIGHTING FIRES IN CONFINED AREAS.  
Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASES MAY BE  
LIBERATED.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOT



o Avoid: YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid: NA

Hazardous Decomposition Products: CO, NO<sub>2</sub>, ALDEHYDES, ACIDS AND  
UNDETERMINED ORGANICS.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO  
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the  
Department

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.