View NSN Online: https://aerobasegroup.ae/nsn/6810-00-569-6612 SIGMA CHEMICAL COMPANY -- STRONTIUM CHLORIDE HEXAHYDRATE ACS REAGENT, 6810-00-569-6612 ============= Product Identification ================== Product ID:STRONTIUM CHLORIDE HEXAHYDRATE ACS REAGENT, MSDS Date:12/19/1988

FSC:6810 NIIN:00-569-6612

MSDS Number: BLPFP === Responsible Party ===

Company Name: SIGMA CHEMICAL COMPANY

Box:14508 City:ST. LOUIS State:MO ZIP:63178

Info Phone Num:800-325-3010/FAX 800-3

25-5052

Country:US

Emergency Phone Num:314-771-5765

CAGE:21076

=== Contractor Identification ===

Company Name: SIGMA CHEMICAL COMPANY

Address:3050 SPRUCE ST

Box:14508 City:ST LOUIS State:MO ZIP:63178 Country:US

Phone:314-771-5765

CAGE:21076

======= Composition/Information on Ingredients ========

Ingred Name:STRONTIUM CHLORIDE, HEXAHYDRATE; (STRONTIUM CHLORIDE HEXAHYDRATE ACS REAGENT)

CAS:10025-70-4 RTECS #:WK8575000

========== Hazards Identification ============================

LD

Health Hazards Acute and Chronic:MAY BE HARMFUL BY INHALATION, INGESTION, OR SKIN ABSORPTION. MAY CAUSE IRRITATION. EXPOSURE CAN CAUSE STOMACH PAINS, VOMITING AND DIARRHEA. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
=== ==================================
First Aid:INGEST:WASH OUT MOUTH WITH WATER IF PERSON IS CONSCIOUS. CALL MD. SKIN:FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMIANTED CLOTHING AND SHOES AND CALL MD. EYE:FLUSH WITH C OPIOUS AMOUNTS OF WATER FOR AT LEAST 15MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL MD. INHAL:REMOVE TO FRESH AIR. IF BREATHING BECOMES DIFFICULT, CALL MD.
====== ===============================
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL POWDER, ALCOHOL OR POLYMER FOAM.  Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.  Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS.
======== Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOS
AL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICK UP IS COMPLETE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============ Handling and Storage =============
Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR APPROPRIATE NIOSH/MSHA APPROVED RESPIRATOR. Ventilation:MECHANICAL

50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Protective Gloves:CHEMICAL RESISTANT GLOVES.  Eye Protection:CHEMICAL WORKERS GOGGLES.  Other Protective Equipment:PROTECTIVE CLOTHING.  Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  Supplemental Safety and Health  NONE SPECIFIED BY MANUFACTURER.
========= Physical/Chemical Properties ==========
HCC:N1 Appearance and Odor:WHITE CRYSTALS
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NO
NE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC FUMES OF STRONTIUM OXIDE, HCL GAS.
======= Disposal Considerations ==========
Waste Disposal Methods:DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL LAWS.
Disclaimer (provided with this information by the compiling agencies):  This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

EXHAUST REQUIRED.