

POWER SONIC CORPORATION -- POWER PS SONIC RECHARGEABLE BATTERIES --
6140-01-252-6298

===== Product Identification =====

Product ID:POWER PS SONIC RECHARGEABLE BATTERIES

MSDS Date:01/14/1990

FSC:6140

NIIN:01-252-6298

MSDS Number: BLQSS

=== Responsible Party ===

Company Name:POWER SONIC CORPORATION

Address:3106 SPRING STREET

Box:5242

City:REDWOOD CITY

State:CA

ZIP:94063-3929

Info Phone Num:(415) 364

-5001

Emergency Phone Num:(415) 364-5001

CAGE:NO304

=== Contractor Identification ===

Company Name:POWER SONIC CORPORATION

Address:3106 SPRING STREET

Box:5242

City:REDWOOD CITY

State:CA

ZIP:94063-3929

Phone:(415) 364-5001

CAGE:NO304

Company Name:POWER-SONIC CORP

Address:3106 SPRING ST

Box:5242

City:REDWOOD CITY

State:CA

ZIP:94063-3929

Country:US

Phone:650-364-5001

CAGE:56309

===== Composition/Information on Ingredients =====

Ingred Name:SULFURIC ACID (SARA III)

CAS:7664-93-9

RTECS #:WS5600000
Fraction by Wt: 17%
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:LEAD SULFATE, CHROMATE, MOLYBDATE (SUSPECTED A2 CARCINOGEN
BY NTP/IARC/OSHA)

CAS:12709-98-7
RTECS #:OG1625000
Fraction by Wt: 60%
OSHA PEL:0.05 MG/CUM (PB)
ACGIH TLV:0.15 MG/CUM (PB)

Ingred Name:LEAD OXIDE YELLOW, LEAD OXIDE

CAS:1317-36-8
RTECS #:OG1750000
Fraction by Wt: 20%
ACGIH TLV:0.15 MG/CUM

===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:EYES: BURNS & DAMAGE. SKIN: IRRITATION
& BURNS. INHALATION: NASAL & RESPIRATORY IRRITATION. INGESTION:
STOMACH IRRITATION.
Explanation of Carcinogenicity:LEAD IS A SUSPECTED A2 CARCINOGEN BY
ACGIH.
Effects of Overexposure:EYES: BURNS & DAMAGE. SKIN: BURNS & IRRITATION.
INHALATION: NASAL & RESPIRATORY IRRITATION. INGESTION: S
TOMACH
IRRITATION.

===== First Aid Measures =====

First Aid:EYES/SKIN: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS.
INHALATION: MOVE TO FRESH AIR. INGESTION: DRINK PLENTY OF
WATER/MILK, FOLLOWED BY MILK OF MAGNESIA. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, FOAM & DRY CHEMICAL
Fire Fighting Procedures:NON-FLAMMABLE
Unusual Fire/Explosion Ha

zard:IMPROPER CHARGING & IGNITIONS OF
RESULTING GASES CAN CAUSE EXPLOSION, PARTICULARY IN GAS TIGHT
ENCLOSURE.

===== Accidental Release Measures =====

Spill Release Procedures:ELECTROLYTE IS IMMOBILIZED & COMPLETELY
SECURED W/IN BATTERY CASE. IF CASE IS CRACKED AVOID CONTACT
W/ELECTROLYTE, WRAP TIGHTLY IN POLYETHYLENE BAGS.

===== Handling and Storage =====

Handling and Storage Precautions:WARNING PROPERTIES OF SUB
STANCE AS A
GAS, VAPOR, DUST & MIST.

===== Exposure Controls/Personal Protection =====

Ventilation:ADEQUATE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Appearance and Odor:ORANGE RECTANGULAR, SQUARE, ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:OPEN FLAMES & SPARKS
Hazardous Decomposition Products:HYDROGEN, OXY
GEN & SULFUR OXIDE FUMES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE W/AUTOMOTIVE SCRAP BATTERIES. DON'T
INCINERATE. DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informa

tion to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.