View NSN Online: https://aerobasegroup.ae/nsn/7930-01-069-7023 ECOLAB INC -- KLENZ-GLIDE 10 -- 7930-01-069-7023 Product ID:KLENZ-GLIDE 10 MSDS Date:12/13/1988 FSC:7930 NIIN:01-069-7023 MSDS Number: BMBXC === Responsible Party === Company Name: ECOLAB INC Address:370 WABASHA STREET City:ST PAUL State:MN ZIP:55102-1307 Country:US Info Phone Num:612-293-2570; 612-293-2233 Emergency Phone Num:612-293-2570; 800-328-0026 CAGE:0DAC4 === Contractor Identification === Company Name: ECOLAB INC Address:8811 E HAMPDEN AVE BLDG 4 B City:DENVER State:CO ZIP:80231 Country:US Phone:612-293-2233 CAGE:0DAC4 Company Name: ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC. Address: ECOLAB CENTER Box:City:ST PAUL State:MN ZIP:55102 Country:US Phone:800-352-5326 CAGE:85884 ======= Composition/Information on Ingredients ======== Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

====== Hazards Identif

ication ============
ication =============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:CAUSES IRRITATION. SKIN:MAY CAUSE IRRITATION, DEPENDING UPON DEGREE EXPOSURE. INGEST:CAN CAUSE IRRITATION, NAUSEA & STOMACH DISTRESS. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE S
PECIFIED BY MANUFACTURER.
======================================
First Aid:EYE:FLUSH IMMED W/PLENTY OF COOL RUNNING WATER. REMOVE CONTACT LENSES. CONTINUE FLUSHING FOR AT LEAST 15 MINS. SKIN:FLUSH W/PLENTY OF COOL RUNNING WATER. WASH THORO W/SOAP & WATER. INGEST:RINSE MOUTH; THEN DRINK 1 OR 2 LGE GLASSES OF WATER. DO NOT INDUCE VOM. NEVER GIVE ANYTHING BY MOUTH TO AN UNCON PERS. INHAL:REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE O*2/ARTF RESP). I
IRRIT (SUPP DATA)
======================================
Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE CONDITIONS
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . PRODUCT DOES NOT SUPPORT COMBUSTION. Unusual Fire/Explosion Hazard:NONE.
======== Accidental Release Measures =========
Spill Release Procedures:DIKE OR DAM LARGE SPILL. PUMP TO CONTAINERS OR SOAK UP ON INERT ABS ORBENT. FLUSH RESIDUE TO SANITARY SEWER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage ==============
Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Glo

Other Protection: CHEMICAL WORKERS GOGGLES. Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health FIRST AID PROC: OR DISCOMFORT PERSISTS, CALL A MD.
======== Physical/Chemical Properties =========
Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.057 pH:10.8 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, GOLDEN YELLOW LIQUID; PLEASANT ODOR.
= ========= Stability and Reactivity Data ==================================
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:DO NOT MIX W/ANYTHING BUT WATER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
======== Disposal Considerations ============

Waste Disposal Methods: CONSULT FEDERAL, STATE & LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE.

Disclaimer (provided with this informati on by the compiling agencies):

ves:NONE SPECIFIED BY MANUFACTURER.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.