View NSN Online: https://aerobasegroup.ae/nsn/6750-01-214-1684

Product ID:S72DFK CHEM BLEND FIXER PART 1 (FIXER) MSDS Date:01/19/1989 FSC:6750 NIIN:01-214-1684 Kit Part:Y MSDS Number: BMBXX === Responsible Party === Company Name: H.R. SIMON AND COMPANY, INC. Address:3515 MARMENCO COURT City:BALTIMORE State:MD ZIP:21230 Country:US Info Pho ne Num:301-636-5555 Emergency Phone Num:301-636-5555 CAGE:KO055 === Contractor Identification === Company Name: H.R. SIMON AND COMPANY, INC. Address:3515 MARMENCO COURT City:BALTIMORE State:MD ZIP:21230 Country:US Phone:301-636-5555 CAGE:KO055 Company Name: SIMON H R CO, INC. Address:3515 MARMENCO COURT Box:City:BALTIMORE State:MD ZIP:21230-3411 Country:US Phone:410-636-5555 CAGE:27912

Ingred Name:ACETIC ACID (SARA III) CAS:64-1 9-7 RTECS #:AF1225000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 40-50% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM BISULFITE (SASA III) CAS:7631-90-5 RTECS #:VZ2000000 Fraction by Wt: 1-5% Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

===

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT MAY CAUSE EYE, SKIN &
RESPIRATORY OR G/I TRACT IRRITATION. IT IS CONSIDERED A LOW HAZARD FOR NORMAL INDUSTRIAL HANDLING.
Explanation of Carcinogenicity:THIS PRODUCT CONTAINS NO INGREDIENT LISTED AS CARCINOGEN BY IARC,NTP, OR OSHA.
Effects of Overexposure:EYE:CAUSES IRRIT
ATION SKIN:CAUSES IRRITATION.
INHALED:MAY CAUSE IRRITATION IF DUST OR MIST IS INHALED.
INGESTED:MAY BE HARMFUL IF SWALLOWED. HMIS:MAY CAUSE G/I IRRITATION,NAUSEA,VOMITING.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. **RESTORE BREATHING IF** NECESSARY. INGESTED:D O NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE, SEE A DOCTOR. Flash Point:NON-FLAMMABLE Extinguishing Media: PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH MEDIA APPROPRIATE FOR SOURCE OF FIRE. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECT IVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. Spill Release Procedures: RECOVER AS LIQUID OR ADSORB WITH CLOTH, PAPER, OTHER INERT MATERIAL. Neutralizing Agent:NONE Handling and Storage Precautions: STORE IN A COOL (40-90 F), DRY, WELL VENTILATED AREA. Other Precautions: READ LABEL THEN FOLLOW INSTRUCTIONS. Respiratory Protection: RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR

INORGANIC DUST/MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE. Ventilation:NORMAL R

OOM VENTILATION SUPPLEMENTED WITH LOCAL EXHAUST ESPECIALLY WHEN MIXING.

Protective Gloves: RUBBER, VINYL, OTHER IMPERVIOUS

Eye Protection: SAFETY GLASSES, SPLASH GOGGLES IF MIXING

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. USE APRON

AND FACE SHIELD WHEN MIXING LIQUIDS OR IF SPLASHING IS LIKELY. Work Hygienic Practices: USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID

UNNECESSARY CONTACT.

Supplemental Safety and Health NONE

================== Physical/Chemical Properties ===

HCC:N1 Boiling Pt:B.P. Text: